

PROFESSIONAL CCTV CATALOGUE 2026



immix

Full Immix Integration



SUPERCAM PLUS



**DOWNLOAD OUR SUPERCAM PLUS
MOBILE APP NOW!**

Visit our Website at www.fvs-cctv.com and Join the FVS CCTV

[LinkedIn page](#) for all the Latest Offers, Exclusive Discounts and Video

Tutorials on FV-PRO Products



CONTENTS

FV-PRO 4K POE NVRs	6-8
FV-PRO 4K NON-POE NVRs	9
FV-PRO IP CAMERAS 2MP TO 8MP	10-18
FV-PRO IP ACTIVE DETERRENT CAMERAS	19
FV-PRO FISHEYE IP CAMERAS	20
FV-PRO IP NUMBER PLATE RECOGNITION CAMERAS	20
FV-PRO PTZ IP CAMERAS	21-22
FV-PRO THERMAL IP CAMERA	22
FV-PRO WI-FI CAMERAS	23
FV-PRO IP KITS	24-28
POE SWITCHES	29
IP CAMERA & NVR ACCESSORIES	29-30
DOORBELL & ACCESS CONTROL	31-33
FV-PRO HYBRID 4 IN 1 DVRs	34-36
NVR/DVR CABINETS	36
HD ANALOGUE CAMERAS 2MP TO 8MP	37-42
HD ANALOGUE ACCESSORIES	43

HD-SDI CAMERAS AND ACCESSORIES	44
ANALOGUE CAMERAS	45
CCTV MONITORS	46
CCTV TEST MONITORS	47
MONITOR ACCESSORIES	46 & 48
WIRELESS TRANSMISSION	49
POWER SUPPLIES & CABLE	50
TOOLS & CONNECTORS	51
EXTRA ACCESSORIES	52
IP SPECIAL OFFERS	53-56
ACCESS CONTROL SPECIAL OFFERS	57

ABOUT FVS CCTV

The Fineplan Group was incorporated in 1966 and is the oldest independent CCTV distribution company in Europe. Fineplan Video Services “FVS” is part of the Fineplan Group of companies.

FVS CCTV offer a wide variety of high definition products. Our range focuses mainly on IP, Hybrid Analogue and Access Control. We also stock CCTV Monitors and Test Monitors, Wireless Transmission and Accessories.

Our products are designed with installers and end users in mind. Product quality ensures ease of use and long term reliability, and our customer service is second to none.

This is borne out by many contract customers, including government, local government, police and armed forces in the UK and abroad (through our export department). We also support many nationwide CCTV installers and electrical wholesalers.

The group head office and main showroom are located in Harrow, Greater London which is 30 minutes from Heathrow Airport and near the main M1 and M25 motorway networks. There is Car Parking on site

If you need product advice or technical support we're happy to help.

For full product specifications, visit our website www.fvs-cctv.com.

1 Locket Road
Harrow
Middlesex HA3 7LY
United Kingdom

Tel: **(44) 020 8863 0666**

Trade e-mail: tradesales@fvs-cctv.com



INTRODUCING NVMS LITE 2.1.4 CMS SOFTWARE



NVMS LITE 2.1.4 supports all FV-PRO Products as well as Other Devices from the Main Players in the Global Market
The New NVMS Software is Easy to Use and Offers Many New Features:-

- User Friendly Design, Real-Time Preview, Local & Remote Playback, Back-Up, Alarm Linkage, TV Wall and Keyboard Control.
- Face Attendance, Visitor Management, Access Control Management, Parking Lot Management
- Face and Number-Plate Tracking
- Call, Hang up, and One-key Opening of the Door with the Face Access Control Tablet and Doorbell
- Search Based on Age, Gender and more.
- Supports the Retrieval of Video Structure Analysis of Motor Vehicles and Non-Motor Vehicles.
- Detailed Parking Lot Management.

NVMS 2.1.4 can be widely used for large and medium-sized video surveillance systems.

For example, schools, parks, banks, chain stores and other commercial buildings.

FV-PRO 3004H1-4P-B1 4 CHANNEL POE



- 4 Channel POE
- 8MP 4K IP Inputs on all channels
- Easy Plug & Play
- H.265S/H.265+/H.265/H.264
- Monitor Outputs : 1 x 4K/HDMI and 1 x VGA
- 1 x Internal Hard Drive up to 10TB
- 4 Channel Playback
- USB or Network Back-up
- P2P, DDNS or Static IP Remote Access
- 64 Users
- Analytics
- PTZ Control
- Supercam Plus App
- Dimensions: 255(W) x 222(D) x 42 (H)

FV-PRO 3008H1-8P-B1 8 CHANNEL POE



- 8 Channel POE
- 8MP 4K IP Inputs on all channels
- Easy Plug & Play
- H.265S/H.265+/H.265/H.264
- Monitor Outputs : 1 x 4K/HDMI and 1 x VGA
- 1 x Internal Hard Drive up to 10TB
- 8 Channel Playback
- USB or Network Back-up
- P2P, DDNS or Static IP Remote Access
- 64 Users
- Analytics
- PTZ Control
- Supercam Plus App
- Dimensions: 255(W) x 222(D) x 42 (H)

FV-PRO 3532H8-16P 32 CHANNEL, 16 POE



- 16 POE & 16 NON-POE
- 8MP 4K IP Inputs on all channels
- Easy Plug and Play
- H.265/H.264
- Monitor Outputs: 4K/HDMI & VGA
- 8 Internal Hard Drive up to 48TB
- 16 Channel Playback
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 20 users
- Multi Streaming
- PTZ Control
- Analytics
- Supercam Plus App
- Dimensions: 445 (W) x 436 (D) x 90 (H) mm

SEAGATE SURVEILLANCE HARD DRIVES

FREE RESCUE PACKAGE INCLUDED

1TB, 2TB, 3TB, 4TB, 6TB, 8TB &
10TB AVAILABLE



4K



DDNS



PTZ



EMAP



EMAIL



P2P



AUDIO



MIC



MOBILE



NETWORK



USB



MOUSE



CMS

FV-PRO 3104H1-4P-B2-B 4 CHANNEL POE



- 4 Channel POE
- Up to 8MP 4K Camera Inputs
- Easy Plug and Play
- H.265S/H.265+/H.265/H.264
- Record up to 8MP 4K on all Channels
- 1 Internal Hard Drive up to 10TB
- 4 Channel Playback
- Monitor Outputs: 4K/HDMI and VGA
- Face Recognition
- License Plate Recognition
- Analytics
- Fisheye Dewarping Via the app or Web Browser
- 64 users
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 300(W) x 45(H) x 249(D)mm

FV-PRO 3108H1-8P-B2-B 8 CHANNEL POE



- 8 Channel POE
- Up to 8MP 4K Camera Inputs
- Easy Plug and Play
- H.265S/H.265+/H.265/H.264
- Record up to 8MP 4K on all Channels
- 1 Internal Hard Drive up to 10TB
- 8 Channel Playback
- Monitor Outputs: 4K/HDMI and VGA
- Face Recognition
- License Plate Recognition
- Analytics
- Fisheye Dewarping Via the app or Web Browser
- 64 users
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 300(W) x 45(H) x 249(D)mm

FV-PRO 3116H2-16P-B2-B 16 CHANNEL POE




- 16 Channel POE
- Up to 8MP 4K Camera Inputs
- Easy Plug and Play
- H.265S/H.265+/H.265/H.264
- Record up to 8MP 4K on all Channels
- 2 Internal Hard Drives Up to 20TB
- 16 Channel Playback
- Monitor Outputs: 4K/HDMI and VGA
- Face Recognition
- License Plate Recognition
- Analytics
- Fisheye Dewarping Via the app or Web Browser
- 64 users
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 380(W) x 52(H) x 268(D)mm

SEAGATE SURVEILLANCE HARD DRIVES

FREE RESCUE PACKAGE INCLUDED

1TB, 2TB, 3TB, 4TB, 6TB, 8TB &
10TB AVAILABLE



FV-PRO 3308H1-8P-B2-B 8 CHANNEL POE



- 8 Channel POE
- Easy Plug & Play
- Up to 8MP 4K Camera Inputs
- Supports Face Detection & Comparison
- Supports License Plate Recognition
- Supports Fisheye Dewarping
- Analytics
- H.265S/H.265+/H.265/H.264
- Record up to 8MP 4K on all Channels
- Monitor Outputs: 4K/HDMI and VGA
- 1 Internal Hard Drive up to 10TB
- 8 Channel Playback
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 64 users
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 300 (W) x 45 (H) x 248 (D)mm

FV-PRO 3316H4-16P-B2 16 CHANNEL POE



2 X LAN
PORTS!



- 16 Channel POE
- Easy Plug & Play
- Up to 8MP 4K Camera Inputs
- 2 LAN Ports
- Supports Face Detection & Comparison
- Supports License Plate Recognition
- Supports Fisheye Dewarping
- Analytics
- H.265S/H.265+/H.265/H.264
- Record up to 8MP 4K on all Channels
- Monitor Outputs: 1 x 4K, 1 x HDMI, 1 x VGA
- 4 Internal Hard Drives up to 40TB
- 16 Channel Playback
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 64 users
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 440 (W) x 70 (H) x 390 (D)mm

FV-PRO 3332H4-16P-B2 32 CHANNEL, 16 POE 4 HDD SLOTS UP TO 40TB

&

FV-PRO 3332H8-16P-B2 32 CHANNEL, 16 POE 8 HDD SLOTS UP TO 80TB



2 X LAN
PORTS!



- 16 POE & 16 NON-POE
- Easy Plug & Play
- Up to 8MP 4K Camera Inputs
- 2 LAN Ports
- Supports Face Detection & Comparison
- Supports License Plate Recognition
- Supports Fisheye Dewarping
- Analytics
- H.265S/H.265+/H.265/H.264
- Record up to 8MP 4K on all Channels
- Monitor Outputs: 1 x 4K, 1 x HDMI, 1 x VGA

- 16 Channel Playback
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 128 users
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- 3332H4 Dimensions:
440 (W) x 70 (H) x 390 (D)mm
- 3332H8 Dimensions:
445 (W) x 90 (H) x 436 (D)mm

FV-PRO TD3104B1H 4 CHANNEL NON-POE



- 4 Channel NON-POE
- H.265S/H.265+/H.265/H.264
- Up to 4K Camera Inputs via a Switch
- ONVIF
- Monitor Outputs: 4K/HDMI & VGA
- Record up to 8MP 4K on all Channels
- 1 Internal Hard Drive up to 8TB
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 64 users
- Analytics
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 300 (W) x 45(H) x 249(D)mm

FV-PRO TD3108B1H 8 CHANNEL NON-POE



- 8 Channel NON-POE
- H.265S/H.265+/H.265/H.264
- Up to 4K Camera Inputs via a Switch
- ONVIF
- Monitor Outputs: 4K/HDMI & VGA
- Record up to 8MP 4K on all Channels
- 1 Internal Hard Drive up to 8TB
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 64 users
- Analytics
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 300(W) x 45(H) x 249(D)mm

FV-PRO TD3332H2 32 CHANNEL NON-POE



- 32 Channel NON-POE
- H.265S/H.265+/H.265/H.264
- Up to 4K Camera Inputs via a Switch
- ONVIF
- Monitor Outputs: HDMI & VGA
- Record up to 8MP 4K on all Channels
- 2 Internal Hard Drives up to 16TB
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 64 users
- Analytics
- PTZ Control
- 2 Way Audio
- Supercam Plus App
- Dimensions: 430 (W) x 55 (H) x 290 (D)mm

SEAGATE SURVEILLANCE HARD DRIVES

FREE RESCUE PACKAGE INCLUDED

1TB, 2TB, 3TB, 4TB, 6TB, 8TB &
10TB AVAILABLE



4K



DDNS



PTZ



EMAP



EMAIL



P2P



AUDIO



MIC



MOBILE



NETWORK



USB



MOUSE



CMS

2MP IP CAMERAS

FV-PRO 9524S4-C Fixed Turret



SUPPORTS DUAL
ILLUMINATION

- 2 Megapixel
- 2.8mm Lens
- Built-in Microphone
- 20 - 30m IR & White Light Range
- Dual Illumination
- Built-in Micro SD Card slot up to 256GB
- True Day/Night
- WDR
- Smart IR
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 83mm x 95mm

FV-PRO 9524S4 Fixed Turret



- 2 Megapixel
- 2.8mm Lens
- Available in Grey
- Built-in Microphone
- 20 - 30m IR Range
- Built-in Micro SD Card slot up to 256GB
- True Day/Night
- WDR
- Smart IR
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 83mm x 95mm

FV-PRO TD9525S3 Varifocal Turret



- 2 Megapixel
- 2.8 - 12mm Varifocal Lens
- Built-in Microphone
- 30-50m IR Range
- Built-in Micro SD Card slot up to 256GB
- True Day/Night
- WDR
- Smart IR
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 100mm x 112mm

Visit our Website at
www.fvs-cctv.com and
 Join the FVS CCTV
[LinkedIn page](#) for all the
 Latest Offers, Exclusive
 Discounts and Video
 Tutorials on FV-PRO
 Products

2MP IP CAMERAS

FV-PRO TD9422S1H Mini Fixed Bullet



- 2 Megapixel 1080p
- 2.8mm Lens
- Available in Grey or White
- 20 - 30m Night Vision Range
- True Day/Night
- Smart IR
- Digital WDR
- POE or 12V DC
- Dimensions: 87mm x 219mm

FV-PRO TD9422E1 Mini Fixed Bullet



REAL-
TIME

- 2 Megapixel 1080p
- 3.6mm Fixed Lens
- Available in White
- Real Time
- 30m+ Night Vision Range
- True Day/Night
- Smart IR
- True WDR
- POE or 12V DC
- Dimensions: 87mm x 219mm

FV-PRO TD9422E2 Mini Varifocal Bullet



REAL-
TIME

- 2 Megapixel 1080p
- 2.8-12mm Varifocal lens
- Real Time
- 30m+ Night Vision Range
- True Day/Night
- Smart IR
- True WDR
- POE or 12V DC
- Dimensions: 87mm x 219mm

Visit our Website at
www.fvs-cctv.com and
Join the FVS CCTV
[LinkedIn page](#) for all the
Latest Offers, Exclusive
Discounts and Video
Tutorials on FV-PRO
Products

3MP IP CAMERAS

FV-PRO TD9433M2 Varifocal Bullet



STARVIS

- 3 Megapixel
- 2.8 - 12mm Varifocal Lens
- Starvis Low Light Sensor
- Up to 50m Night Vision Range
- Built-in Micro SD Card up to 128GB
- True Day/Night ICR
- Smart IR
- WDR
- POE or 12V DC
- Dimensions: 284mm x 109mm

FVS-TD9434M2 Varifocal Bullet



STARVIS

- 3 Megapixel
- 7 - 22mm Varifocal Lens
- Starvis Low Light Sensor
- 50m - 70m Night Vision Range
- Built-in Micro SD Card up to 128GB
- True Day/Night ICR
- Smart IR
- WDR
- POE or 12V DC
- Dimensions: 360mm x 109mm

Visit our Website at www.fvs-cctv.com and Join the FVS
CCTV [LinkedIn page](#) for all the Latest Offers, Exclusive
Discounts and Video Tutorials on FV-PRO Products

4MP IP CAMERAS

FV-PRO TD9544E3B

Fixed Turret



FACE
DETECTION

REAL-
TIME

- 4 Megapixel
- 2.8mm Lens
- Built-in Audio
- Real-Time
- Ultra Low Light
- 20-30m IR Range
- Intelligent Analytics
- Face Detection & Capture
- True Day/Night
- Smart IR
- WDR
- Built-in Micro SD Card Slot up to 256GB
- POE or 12V DC
- Dimensions: 95mm x 83mm

FV-PRO TD9545E3B

Motorised Turret



FACE
DETECTION

REAL-
TIME

- 4 Megapixel
- 2.8 - 12mm Motorised Lens
- Built-in Audio
- Real-Time
- Ultra Low Light
- 30-50m IR Range
- Intelligent Analytics
- Face Detection & Capture
- True Day/Night
- Smart IR
- WDR
- Built-in Micro SD Card Slot up to 256GB
- POE or 12V DC
- Dimensions: 100mm x 112mm

FV-PRO TD9547E3B - A

Dome



FACE
DETECTION

REAL-
TIME

- 4 Megapixel
- 2.8mm Lens
- Real-Time
- Built-in Microphone
- 10-20m IR Range
- IK10 Vandal Casing
- Analytics
- Face Recognition
- Meta Data
- WDR
- IP66
- POE or 12V DC
- Dimension: 110mm x 60mm

CV4000 4MP

Colourvision 24/7 Turret



24/7
COLOUR

- 4 Megapixel
- 2.8mm Lens
- Colourvision 24/7
- Available in Grey
- Up to 30m white light distance
- True Day/Night
- Built-in Micro SD Card up to 256GB
- POE or 12V DC
- Dimensions: 128 x 108mm

5MP IP CAMERAS

FV-PRO TD9553E2A Motorised Vandal Dome



FACE
DETECTION

REAL-
TIME

- 5 Megapixel
- 3.3 - 12mm Motorised Lens
- IK10 Vandal Casing
- Real-Time
- 50m IR Range
- Intelligent Analytics
- Face Detection and Capture
- True Day/Night
- WDR
- Smart IR
- Built-in Micro SD Card up to 256GB
- POE or 12v DC
- Dimensions: 150mm x 114mm

FV-PRO TD9553M2 Motorised Vandal Dome



STARVIS

REAL-
TIME

- 5 Megapixel
- 3.6 - 10mm Varifocal Lens
- IK10 Vandal Casing
- Starvis Low Light Image Sensor
- Varifocal
- 30m IR Range
- True Day/Night
- WDR
- Smart IR
- Built-in Micro SD Card up to 256GB
- POE or 12v DC
- Dimension: 161mm x 137mm

FV-PRO TD9551S2 Mini Vandal Dome



- 5 Megapixel
- 3.6mm Lens
- IK10 Vandal Casing
- Available in Grey Only
- 20 - 30m IR Range
- D-WDR
- True Day/Night
- Smart Analytics
- POE or 12v DC
- Dimensions: 117mm x 90mm

Visit our Website at
www.fvs-cctv.com and
Join the FVS CCTV
[LinkedIn](#) page for all the
Latest Offers, Exclusive
Discounts and Video
Tutorials on FV-PRO
Products

6MP IP CAMERAS

FV-PRO TD9564S4-C Fixed Turret



SUPPORTS DUAL
ILLUMINATION

- 6 Megapixel
- 2.8mm Lens
- Dual Illumination
- 20-30m IR and White Light Range
- True Day/Night
- WDR
- Built-in Micro SD Card Slot up to 256GB
- Intelligent Analytics
- POE OR 12V DC
- Dimensions: 95mm x 83mm

FV-PRO TD9565S4-C Motorised Turret



SUPPORTS DUAL
ILLUMINATION

- 6 Megapixel
- 2.8-12mm Motorised Lens
- Dual Illumination
- 30-40m IR & White Light Range
- True Day/Night
- WDR
- Built-in Micro SD Card slot up to 256GB
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 116mm x 100mm

FV-PRO TD9565S3A Motorised Turret



- 6 Megapixel
- 2.8-12mm Motorised Lens
- 30-40m IR Range
- Available in Grey
- True Day/Night
- WDR
- Built-in Micro SD Card slot up to 256GB
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 116mm x 100mm

FV-PRO TD9561S4-C Mini Fixed Vandal Dome



SUPPORTS DUAL
ILLUMINATION

- 6 Megapixel
- 2.8mm Lens
- Dual Illumination
- 20-30m IR & White Light Range
- Available in White
- IK10 Full Vandal Casing
- True Day/Night
- WDR
- Built-in Micro SD Card Slot up to 256GB
- Intelligent Analytics
- POE OR 12V DC
- Dimensions: 119mm x 88mm

6MP IP CAMERAS

FV-PRO TD9551S3A Mini Fixed Vandal Dome



- 6 Megapixel
- 2.8mm Lens
- IK10 Vandal Casing
- 20-30m IR Range
- True Day/Night
- Available in Grey
- WDR
- Built-in Micro SD Card Slot up to 256GB
- Intelligent Analytics
- POE OR 12V DC
- Dimensions: 119mm x 88mm

FV-PRO TD9462S4-C-FL Mini Fixed Bullet



SUPPORTS DUAL
ILLUMINATION

- 6 Megapixel
- 2.8mm Lens
- Dual Illumination
- 30-50m IR & White Light Range
- Available in White
- True Day/Night
- WDR
- Built-in Micro SD card slot up to 256GB
- Intelligent Analytics
- POE or DC12V
- Dimensions: 218mm x 81mm x 80mm

FV-PRO TD9462S4-C Mini Motorised Bullet



SUPPORTS DUAL
ILLUMINATION

- 6 Megapixel
- 2.8 - 12mm Motorised Lens
- Dual Illumination
- 30-50m IR & White Light Range
- Available in White
- True Day/Night
- WDR
- Built-in Micro SD card slot up to 256GB
- Intelligent Analytics
- POE or DC12V
- Dimensions: 218mm x 81mm x 80mm

FV-PRO TD9462S4 Mini Motorised Bullet



- 6 Megapixel
- 2.8 - 12mm Motorised Lens
- 30-40m IR range
- Available in Grey
- True Day/Night
- WDR
- Built-in Micro SD card slot up to 256GB
- Intelligent Analytics
- POE or DC12V
- Dimensions: 218mm x 81mm x 80mm

8MP 4K IP CAMERAS

9584S4-C Fixed Turret



SUPPORTS DUAL
ILLUMINATION

- 4K 8 Megapixel
- 2.8mm Lens
- Dual Illumination
- Built-in Audio
- Crystal Clear Images
- 20-30m White Light & IR Range
- 3D DNR, True WDR, HLC, BLC, Defog
- Built-in Micro SD Card Slot, up to 256GB
- POE or 12V DC
- Intelligent Analytics
- Dimensions: 95mm x 83mm

FV-PRO TD9585S3B Motorised Turret



- 4K 8 Megapixel
- 2.8 - 12mm Motorised Lens
- Built-in Audio
- Crystal Clear Images
- 40-50m IR Range
- Intelligent Analytics
- True Day/Night
- WDR
- Built-in Micro SD card Slot up to 256GB
- POE or 12V DC
- Dimensions: 112mm x 100mm

FV-PRO TD9584E3B Fixed Turret



FACE
DETECTION

REAL-
TIME

- 4K 8 Megapixel
- 2.8mm Lens
- Built-in Audio
- Real-Time
- Crystal Clear Images
- 20-30m IR Range
- Intelligent Analytics
- Face Detection and Face Capture
- True Day/Night
- WDR
- Built-in Micro SD card Slot up to 256GB
- POE or 12V DC
- Dimensions: 95mm x 83mm

FV-PRO TD9585E3B Motorised Turret



FACE
DETECTION

REAL-
TIME

- 4K 8 Megapixel
- 2.8 - 12mm Motorised Lens
- Built-in Audio
- Real-Time
- Crystal Clear Images
- 40-50m IR Range
- Available in Grey
- Intelligent Analytics
- Face Detection and Face Capture
- True Day/Night
- WDR
- Built-in Micro SD card Slot up to 256GB
- POE or 12V DC
- Dimensions: 112mm x 100mm

8MP 4K IP CAMERAS

FV-PRO 9585E3B-DP Dual Lens Turret Camera



SUPPORTS DUAL
ILLUMINATION



FACE
DETECTION

REAL-
TIME

- 4K 8 Megapixel
- Super Wide 180 Degree Lens
- Dual Illumination
- 20-30m IR or White Light Range
- 2 way Audio
- User-defined Voice Warning
- Blue & Red Flashing Warning Lights
- All Warnings Motion Activated
- Intelligent Analytics
- Face Detection & Face Capture
- Built-in Micro SD Card Slot
- POE or 12VDC
- Dimensions: 100mm x 112mm

FV-PRO 9482S4-C Motorised Mini Bullet



SUPPORTS DUAL
ILLUMINATION



- 4K 8 Megapixel
- 2.8-12mm Motorised Lens
- Dual Illumination
- Built-in Audio
- 30-50m IR and White Light Range
- 3D DNR, True WDR, HLC, BLC, Defog
- Built-in Micro SD Card Slot, up to 256GB
- POE or 12V DC
- Intelligent Analytics
- Dimensions : 217.8 × 80.5 × 80.3

FV-PRO TD9483E3L Motorised Bullet



FACE
DETECTION



- 4K 8 Megapixel
- 2.8 - 12mm Motorised Lens
- 50 - 70m IR Range
- Built-in Audio
- Intelligent Analytics
- Face Detection and Capture
- True Day/Night
- WDR
- Built-in Micro SD Card Slot up to 256GB
- POE or 12v DC
- Dimensions: 280mm x 100mm x 88mm

FV-PRO TD9482S2 Fixed Bullet



H.265
5 MP



- 4K 8 Megapixel
- 3.6mm Lens
- 20 - 30m IR Range
- Intelligent Analytics
- True Day/Night
- D-WDR
- POE or 12v DC
- Dimensions: 87mm × 219mm

SUPPORTS DUAL ILLUMINATION

9544C2-PA Fixed Turret



REAL-
TIME

FACE
DETECTION

- 4 Megapixel
- 2.8mm Lens
- Available in Grey or White
- 30-40m IR or White Light Range
- 2 way Audio
- User-defined Voice Warning
- Blue & Red Flashing Warning Lights
- All Warnings Motion Activated
- Intelligent Analytics
- Face Detection & Face Capture
- Built-in Micro SD Card Slot
- POE or 12VDC
- Dimensions: 100mm x 112mm

9584C2H-PA Fixed Turret



REAL-
TIME

FACE
DETECTION

- 4K 8 Megapixel
- 2.8mm Lens
- Available in Grey or White
- 30-40m IR or White Light Range
- 2 way Audio
- User-defined Voice Warning
- Blue & Red Flashing Warning Lights
- All Warnings Motion Activated
- Intelligent Analytics
- Face Detection & Face Capture
- Built-in Micro SD Card Slot
- POE or 12VDC
- Dimensions: 100mm x 112mm

9585C2H-PA Motorised Turret



REAL-
TIME

FACE
DETECTION

- 4K 8 Megapixel
- 2.8 - 12mm Motorised Lens
- Available in Grey or White
- 30-40m IR or White Light Range
- 2 way Audio
- User-defined Voice Warning
- Blue & Red Flashing Warning Lights
- All Warnings Motion Activated
- Intelligent Analytics
- Face Detection & Face Capture
- Built-in Micro SD Card Slot
- POE or 12VDC
- Dimensions: 100mm x 112mm

FV-PRO 9585E3B-DP Dual Lens Turret Camera



REAL-
TIME

FACE
DETECTION

- 4K 8 Megapixel
- Super Wide 180 Degree Lens
- Dual Illumination
- 20-30m IR or White Light Range
- 2 way Audio
- User-defined Voice Warning
- Blue & Red Flashing Warning Lights
- All Warnings Motion Activated
- Intelligent Analytics
- Face Detection & Face Capture
- Built-in Micro SD Card Slot
- POE or 12VDC
- Dimensions: 100mm x 112mm

FISHEYE CAMERAS

FV-PRO TD9568E3 6MP Fisheye



- 6 Megapixel
- 1.07mm Fisheye Lens
- Dewarp on all Face Rec NVRs
- 10 - 20m IR Range
- Built-in Microphone
- True Day/Night
- WDR
- Built-in Micro SD Card up to 256GB
- POE or 12v DC
- Dimensions: 46mm x 130mm

FV-PRO TD95A8E3B 12MP Fisheye



- 12 Megapixel
- 1.65mm Fisheye Lens
- Dewarp on all Face Rec NVRs
- Fisheye, Panoramic + 3 PTZ
- 10-20m IR Range
- 2 Built-in Microphones
- True Day/Night
- Built-in Micro SD Card up to 256GB
- POE or 12V DC
- Dimensions: 46mm x 130mm

NUMBER PLATE RECOGNITION CAMERAS

TD9423A3BH-LR Motorised Bullet



- 2 Megapixel
- 8-32mm Motorised Lens
- Up to 100m IR Range
- License Plate Capture
- Snapshot of License Plate Day & Night
- Metadata to identify Vehicle Details
- Intelligent Analytics
- True Day/Night
- WDR
- Built-in Micro SD Card slot, up to 256GB
- POE or 12VDC
- Dimensions: 278.3 x 100.2 x 88.7mm

TD9443A3BH-LR Motorised Bullet



- 4 Megapixel
- 8-32mm Motorised Lens
- Up to 100m IR Range
- License Plate Capture
- Snapshot of License Plate Day & Night
- Metadata to identify Vehicle Details
- Intelligent Analytics
- True Day/Night
- WDR
- Built-in Micro SD Card slot, up to 256GB
- POE or 12VDC
- Dimensions: 278.3 x 100.2 x 88.7mm

IP PTZ SPEED DOMES

FV-PRO TD8443 IP Speed Dome



FACE
DETECTION

- 4 Megapixel
- 25 x Optical Zoom
- 4.8-120mm
- Smart Tracking of Human/Vehicle
- Face Detection
- Vehicle Detection
- Up to 100m IR Distance
- Analytics
- Smart IR
- POE+ or 12V
- Micro SD Card Slot up to 256GB
- IP66
- IK10 Vandal Housing
- Dimension : 173mm x 247mm

FV-PRO 8483IS2 IP Speed Dome



FACE
DETECTION

- 8 Megapixel 4K
- 25 x Optical Zoom
- 4.8-120mm
- Smart Tracking of Human/Vehicle
- Face Detection
- Vehicle Detection
- Up to 150m IR Distance
- Analytics
- Smart IR
- POE+ or 12V
- Micro SD Card Slot up to 256GB
- IP66
- IK10 Vandal Housing
- Dimension : 173mm x 247mm

FV-PRO 8140IEN Miniature IP Speed Dome



FACE
DETECTION

- 4 Megapixel
- 3 x Optical Zoom
- 3-8mm Lens
- Fast and Accurate
- Smart Tracking of Human/Vehicle
- Built-in Audio
- Face Detection
- Vehicle Detection
- Up to 20m IR Distance
- Analytics
- Smart IR
- POE or 12V
- Micro SD Card Slot up to 256GB
- IP67
- IK10 Vandal Housing
- Dimensions : 116mm x 76mm

FV-PRO TD8343 Mini IP Speed Dome



ACTIVE
DETERRENT

- 4 Megapixel
- Active Deterrent
- Smart Tracking
- 4x Optical Zoom
- 2.8 - 12mm Lens
- Fast and Accurate
- Smart 4 IR LEDs up to 50m
- 2 White LED 30m
- Built-in Microphone & Speaker for 2 way Audio
- 30m for Audible Warnings, 7m for Voice Recording
- Human & Vehicle detection
- Micro SD Card Slot up to 256GB
- IP66
- POE+ or DC12V
- IK10 Vandal Housing
- Dimensions: 130mm x 162mm

IP PTZ SPEED DOMES

FV-PRO TD8843 Large IP Speed Dome



FACE
DETECTION

- 4 Megapixel
- 37x optical zoom, 16x digital zoom
- 5.6 - 208 mm
- Up to 500m Zoomed IR Distance
- 120 dB WDR, 3D DNR, Smart IR
- Smart Tracking of Human/Vehicle
- Smart Detection and Perimeter Protection
- 99% Accurate Intelligent Analytics
- Face Detection, Tracking and Capture
- License Plate Recognition & Capture
- Metal Body
- IP67
- Micro SD Card Slot up to 256GB
- POE++ or AC24V
- IK10 Vandal Housing
- Dimensions 278mm x 435mm

OPTIONAL MOUNTS

YZJ0501

£22

Pole Mount for all PTZ Cameras



YZJ0601

£22

Corner Mount for all PTZ Cameras



THERMAL IP CAMERA

FV-PRO 5525E1-VT1 5MP



ACTIVE
DETERRENT

- 5 Megapixel
- Thermal 720P
- 3.2mm Lens
- 20-30m IR Range
- Intelligent Analytics
- Face Recognition
- Temperature range: -20°C~150°C
- 12μm, NETD: ≤50mK(@25°C, F#=1.0)
- Sound and light warning, temperature exception alarm, fire detection
- Over temperature alarm, low temperature alarm
- Dual Image Fusion
- 1CH built-in MIC; 1CH built-in speaker
- Built-in micro SD card slot; up to 256GB
- DC12v / POE
- Dimensions : 111.5 × 99.6

Visit our Website at
www.fvs-cctv.com and
 Join the FVS CCTV
[LinkedIn page](#) for all the
 Latest Offers, Exclusive
 Discounts and Video
 Tutorials on FV-PRO
 Products

FV-PRO WI-FI IP CAMERAS

9451S4-C Mini Wi-Fi Bullet



SUPPORTS DUAL
ILLUMINATION

- 5MP
- 2.4GHz & 5GHz
- Wifi Range 200m (no obstacles)
- 2.8mm Lens
- 20-30m IR and White Light Range
- 1CH Built-in MIC
- IP67
- 12v Power Supply
- Analytics
- Micro SD card storage
- Dimensions: 182.4 x 86 x 126.8

9557S4-C Internal Wi-Fi Dome



- 5MP
- 2.4GHz & 5GHz
- Wifi Range 120m (no obstacles)
- 2.8mm Lens
- 10-20m IR and White Light Range
- 1CH Built-in MIC
- 12v Power Supply
- Analytics
- Micro SD card storage
- Internal Only
- Dimensions: 109.4 x 62

C14 Internal Wi-Fi Box Camera



- 4MP
- 2.4GHz
- Wifi Range 50m
- 2.1mm Lens
- 0.3-10m IR Range
- 1CH Built-in MIC, 1CH Built-in Speaker
- 12v or POE
- Analytics
- Micro SD card storage
- Internal Only
- Dimensions: 130mm x 71.7mm x 71.7mm

Visit our Website at
www.fvs-cctv.com and
 Join the FVS CCTV
[LinkedIn page](#) for all the
 Latest Offers, Exclusive
 Discounts and Video
 Tutorials on FV-PRO
 Products

2 CAMERA KITS

COLOURVISION

2MP



SUPPORTS DUAL
ILLUMINATION

Kit Contains:

- 1 x NVR 3004H1-4P-B1
- 8MP 4K 4 Channel POE NVR
- 2 x TD9524S4-C
- 2MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

4MP



FACE
DETECTION

REAL
-TIME

Kit Contains:

- 1 x 3104H1-4P-B2-B
- 8MP 4K 4 Channel POE NVR
- 2 x TD9544E3B
- 4MP 2.8mm Turret Camera
- Real-Time Face Recognition
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Infrared Night Vision

COLOURVISION

6MP



SUPPORTS DUAL
ILLUMINATION

Kit Contains:

- 1 x NVR 3004H1-4P-B1
- 8MP 4K 4 Channel POE NVR
- 2 x TD9564S4-C
- 6MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

COLOURVISION

8MP



SUPPORTS DUAL
ILLUMINATION



Kit Contains:

- 1 x NVR 3004H1-4P-B1
- 8MP 4K 4 Channel POE NVR
- 2 x TD9584S4-C
- 8MP 4K 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

4 CAMERA KITS

COLOURVISION

2MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3004H1-4P-B1
- 8MP 4K 4 Channel POE NVR
- 4 x TD9524S4-C
- 2MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

4MP



Kit Contains:

FACE
DETECTION

REAL
-TIME

- 1 x 3104H1-4P-B2-B
- 8MP 4K 4 Channel POE NVR
- 4 x TD9544E3B
- 4MP 2.8mm Turret Camera
- Real-Time Face Recognition
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Infrared Night Vision

COLOURVISION

6MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3004H1-4P-B1
- 8MP 4K 4 Channel POE NVR
- 4 x TD9564S4-C
- 6MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

COLOURVISION

8MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION



- 1 x NVR 3004H1-4P-B1
- 8MP 4K 4 Channel POE NVR
- 4 x TD9584S4-C
- 8MP 4K 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

6 CAMERA KITS

COLOURVISION

2MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3008H1-8P-B1
- 4K 8MP 8 Channel POE NVR
- 6 x TD9524S4-C
- 2MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

4MP



Kit Contains:

FACE
DETECTION

REAL
-TIME

- 1 x 3108H1-8P-B2-B
- 4K 8MP 8 Channel POE NVR
- 6 x TD9544E3B
- 4MP 2.8mm Turret Camera
- Real-Time Face Recognition
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Infrared Night Vision

COLOURVISION

6MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3008H1-8P-B1
- 4K 8MP 8 Channel POE NVR
- 6 x TD9564S4-C
- 6MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

COLOURVISION

8MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION



- 1 x NVR 3008H1-8P-B1
- 4K 8MP 8 Channel POE NVR
- 6 x TD9584S4-C
- 8MP 4K 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

8 CAMERA KITS

COLOURVISION

2MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3008H1-8P-B1
- 4K 8MP 8 Channel POE NVR
- 8 x TD9524S4-C
- 2MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

4MP



Kit Contains:

- 1 x 3108H1-8P-B2-B
- 4K 8MP 8 Channel POE NVR
- 8 x TD9544E3B
- 4MP 2.8mm Turret Camera
- Real-Time Face Recognition
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Infrared Night Vision

FACE
DETECTION

REAL
-TIME

COLOURVISION

6MP



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3008H1-8P-B1
- 4K 8MP 8 Channel POE NVR
- 8 x TD9564S4-C
- 6MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

COLOURVISION

8MP



Kit Contains:

- 1 x NVR 3008H1-8P-B1
- 4K 8MP 8 Channel POE NVR
- 8 x TD9584S4-C
- 8MP 4K 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

SUPPORTS DUAL
ILLUMINATION




16 CAMERA KITS

COLOURVISION

2MP

x16 CAMERAS



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3532-16P-H8
- 4K 8MP 32 Channel NVR with 16 POE
- 16 x TD9524S4-C
- 2MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

4MP

x16 CAMERAS



Kit Contains:

FACE
DETECTION


REAL
-TIME

- 1 x 3116H2-16P-B2-B
- 4K 8MP 16 Channel POE NVR
- 16 x TD9544E3B
- 4MP 2.8mm Turret Cameras
- Real-Time Face Recognition
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Infrared Night Vision

COLOURVISION

6MP

x16 CAMERAS



Kit Contains:

SUPPORTS DUAL
ILLUMINATION

- 1 x NVR 3532-16P-H8
- 4K 8MP 32 Channel NVR with 16 POE
- 16 x TD9564S4-C
- 6MP 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

COLOURVISION

8MP

x16 CAMERAS



Kit Contains:

SUPPORTS DUAL
ILLUMINATION



- 1 x NVR 3116H2-16P-B2-B
- 4K 8MP 16 Channel POE NVR
- 16 x TD9584S4-C
- 8MP 4K 2.8mm Turret Cameras
- Optional Hard Drives available
- Optional Bases / Wall Brackets available
- Dual Illumination

TD-B2204S1 4 Port A/I POE Switch with 2 Uplinks



- 4 POE Ports with 2 x Uplinks
- AI Watchdog Function Mode
- Long-distance Transmission Mode
- 4KV Lightning & 8KV ESD Protection

TD-B2208S1 8 Port A/I POE Switch with 2 Uplinks



- 8 POE Ports with 2 x Gigabit Uplinks
- AI Watchdog Function Mode
- Long-distance Transmission Mode
- 4KV Lightning & 8KV ESD Protection

TD-B2216S1 16 Port A/I POE Switch with 2 Uplinks



- 16 POE Ports with 2 x Gigabit Uplinks
- 1 x Gigabit SFP Fiber Port (Data)
- AI Watchdog Function Mode
- Long-distance Transmission Mode
- 4KV Lightning & 8KV ESD Protection

TD-B2224S1 24 Port A/I POE Switch with 2 Uplinks



- 24 Gigabit POE Ports and 2 x Gigabit Uplinks
- 2 x Gigabit SFP Fiber Ports (Data)
- AI Watchdog Function Mode
- Long-distance Transmission Mode
- 4KV Lightning & 8KV ESD Protection

Tenda Home Plug

AV1000 Gigabit Homeplug Power Kit



Connects NVR/DVR to Router When Direct Wired Connection is Not Possible

- High-Speed Data Transfer Rates of up to 1000 Mbps,
- Gigabit Port
- Plug and Play
- Integrated Power Socket
- Patented Power-Saving Mode
- Automatically Reduces Power Consumption by up to 85%

Network Keyboard

TD-K11 Network Keyboard



- LCD Display Supports remote configuration via WEB client
- Seamless integration with NVMS software
- Supports multi-language operation
- Up to 256 Speed Domes Controllable in PTZ Mode
- Dimensions : 420(L) x 260 (W) x 170 (H) mm

POE Extender

- 1 Input & 3 Outputs
- Extend POE up to 250m
- 100m Extension per POE Extender

**POE Injector**

- Gigabit POE Injector
- Mid or End Span Pairings
- Simple In-Line Design
- Up to 200M Runs
- 2A Loads

**Bases and Brackets****All Bases and Brackets Available in Grey and White****0104**

Base for Fixed Turret and Mini Bullet Cameras

**0303**

Base for Large Vandal Domes

**0106**

Base for Motorised Turret Cameras

**YZJ0203**

L-Shaped Wall Bracket for all Turret Cameras & Mini Vandal Domes

**0103**

Base for Fixed Turret and Mini Bullet Cameras

**YZJ0204**

L-Shaped bracket for 8343 PTZ and CV4000

**0301**

Heavy Duty Base for Mini Bullet & Fixed Turret Cameras

**YZJ0406 & 0301**

Wall Mount for Fixed Turret Cameras

**0302**

Heavy Duty Base for Large Bullet & Motorised Turret Cameras

**YZJ0407 & 0302**

Wall Mount for Motorised Turret Cameras

**0206**

Base for Fisheye Cameras

**YZJ0406 & YXH0101B**

Wall Bracket for Mini Vandal Domes

**0205**

Larger Base for Fixed and Motorised Eyeballs and Mini Bullet cameras

**YZJ0802**

Ceiling Mount or Wall Mount Extension Pole

**0101B**

Base for Mini Vandal Domes



DOORBELL WITH ACCESS CONTROL

FV-PRO E3110 Video Doorbell

SUPPORTS DUAL
ILLUMINATION



- 2 Megapixel 1080P
- 2.3mm Wide Angle Lens
- Connect to NVR/DVR for 24/7 Recording
- Wide Field of View for Doorway Security Monitoring
- Access Control Function
- Noise Suppression and Echo Cancellation
- 2-way Remote Communication between the Doorbell and Indoor Station/Mobile App/NVMS
- Supports IR & White Light LEDs
- Tampering Alarm & Door Contact Alarm
- 2.4G Wi-fi or POE
- Built in Micro SD Card Slot, up to 256GB
- Face Detection & Face Capture
- Intelligent Analytics

FV-PRO E2137 Monitor Station



- 7 inch IPS touch screen
- Available in Black or White
- Max. 4CH videos can be viewed simultaneously
- Built-in microphone, Built-in speaker
- A maximum of 6 indoor stations can be installed in the same room
- Support live preview of the linked camera
- Support snapshot when calling via door station (micro SD card required)
- Support mute notification function
- Use the advanced noise suppression and echo cancellation technology to ensure high sound quality
- 8CH zone alarm access function
- Self-define door opening password
- Support 2.4G WIFI
- Support 1CH 12V200mA power output for powering up a sensor
- Wall mounting
- 180mm x 135mm x 27mm

YZJ1007

- Angled Bracket
- 15 Degree Angle



YXH0103

- Deep Base



YZJ1009

- Flush Mount for the E2137 Monitor Station



Chime



- Classic Tones
- A Variety of Mounting Options
- Easy to Install
- Adjustable Volume and Ring Tone
- Low Battery Reminder

DOORBELL FULL PACKAGE KIT



FV-PRO E3110 – Video Doorbell

SUPPORTS DUAL
ILLUMINATION

FV-PRO TD-E2137-PE/TP/WF – 7" Indoor Monitor Station

TD-YHZ0103 - Deep Base with Sun/Rain Shield

TD-YZJ1007 - Angled Bracket

Indoor Monitor Station Available in Black or White

Optional Extras – TD-E9120 - Doorbell Chime

YZJ1009 - E2137 Monitor Flush Mount

VIDEO INTERCOM DOOR STATIONS

FV-PRO E2223-EM/IC/PE/WF Video Intercom Door Station



- 3.5 inch IPS screen
- 2MP (1920×1080) Real-Time H.265 Coding
- Face Recognition Distance: 0.3m-2m
- Supports Face Detection Technology
- 3D DNR, HWDR, BLC, HLC, Defog
- Swiping Card, Password, Face Recognition
- Door Opening Modes
- Supports door opening by Indoor Station or by Mobile APP
- Supports Copy-Prevention for IC Card
- Supports Anti-Tampering Alarm;
- Supports Alarm Trigger when the Door is not Secured or Broken
- One-Button Calling Indoor Station
- Supports 2.4G Wi-Fi
- Supports P2P function
- Supports Remote Surveillance via mobile APP, Web Browser or Tablet
- Intelligent Analytics
- IP67
- Access Control :
- Face Picture, ID Number, List Type (Group), Name, Gender, Age, Phone Number, Card ID, Password, Door Opening Mode
- Secondary Door Station
- 50000 event items can be recorded
- Dimension : 210mm × 104mm × 30mm

FV-PRO - TE-VD1100S1-CEPW Video Intercom Door Station



- 2MP (1920×1080) Real-Time H.265 Coding
- Auto Day-Night Switch
- 3D DNR, HWDR, BLC, HLC
- Built-In Card Reader for M1/EM Card
- Supports Door Opening by Indoor Station or Mobile APP or Swiping Card or Password
- Supports 2.4G Wi-Fi
- Intelligent Analytics
- Supports noise Suppression and Echo Cancellation
- Backlight Compensation Behind the Buttons
- Numeric Keypad with Extra Buttons
- Standard PoE Power Supply
- IK08 & IP65 Higher Protection Level with Aluminum Alloy Material
- Access Control :
- Adding Face Pictures and Relevant Info Via WEB or NVMS; Up to 3,000
- Supports Adding, Modifying, Deleting and Viewing People Information
- ID Number, List Type(Group), Name, Gender, Age, Phone Number, Card ID, Password, Door Opening mode, Note, Room Number, Floor.
- Door opening Modes - Swiping Card, Password, Indoor Station/APP/NVMS
- Dimensions : 91mm×174mm×32.4mm

YZJ0104



- Deep Base for the E2223

FV-PRO DVR2104-4K 4 CHANNEL HYBRID DVR



- 1 x 8MP 4K BNC Camera Input
- Up to 4 x 5MP/2MP/Analogue BNC Camera Inputs
- Add an Extra 2 x IP Cameras via a switch up to 8MP 4K per Camera
- Supports TVI/AHD/CVI/Analogue
- H.264/H.265/H.265+ Compression
- Monitor Outputs: 4K/HDMI, VGA & BNC Analogue
- 1 x Audio In and 1 x Audio Out
- 1 x Internal Hard Drive Slot up to 10TB
- P2P, DDNS or Static IP Remote Access
- Supercam Plus Phone App
- USB or Remote Backup
- Dimensions: 255mm x 233mm x 42mm

FV-PRO DVR2108-4K 8 CHANNEL HYBRID DVR



- 8 x 4K/5MP/2MP/Analogue BNC Camera Inputs
- Add an Extra 8 x IP Cameras via a Switch up to 8MP
- Supports TVI/AHD/CVI/Analogue
- H.264/H.265/H.265+ Compression
- Monitor Outputs: 4K/HDMI, VGA & BNC Analogue
- 1 x Audio In and 1 x Audio Out
- 1 x Internal Hard Drive Slot up to 10TB
- P2P, DDNS or Static IP Remote Access
- Supercam Plus Phone App
- USB or Remote Backup
- Dimensions: 255mm x 233mm x 42mm

SEAGATE SURVEILLANCE HARD DRIVES

FREE RESCUE PACKAGE INCLUDED

1TB, 2TB, 3TB, 4TB, 6TB, 8TB & 10TB
AVAILABLE



4K



P2P



DDNS



NETWORK



MOBILE



AUDIO



USB



MOUSE



CMS



EMAIL



PTZ



EMAP

FV-PRO DVR2708-4K**8 CHANNEL HYBRID DVR**

- 8 x 4K/5MP/2MP/Analogue BNC Camera Inputs
- Add an Extra 8 x IP Cameras via a Switch up to 8MP
- Supports TVI/AHD/CVI/Analogue
- H.264/H.265/H.265+ Compression
- Monitor Outputs: 4K/HDMI, VGA & BNC Analogue
- Record 8MP, 5MP, 4MP, 3MP, 1080P, 720P, WD1 on all channels and up to 8MP IP
- 8 x Audio In and 1 x Audio Out
- 2 x Internal hard Drive Slots up to 20TB
- P2P, DDNS or Static IP Remote Access
- Supercam Plus Phone App
- USB or Remote Backup
- Dimensions: 380(W) x 52(H) x 268(D)mm


FV-PRO DVR2716-4K**16 CHANNEL HYBRID DVR**

- 16 x 4K/5MP/2MP/Analogue BNC Camera Inputs
- Add an Extra 8 x IP Cameras via a Switch up to 8MP
- Supports TVI/AHD/CVI/Analogue
- H.264/H.265/H.265+ Compression
- Monitor Outputs: 4K/HDMI, VGA & BNC Analogue
- Record 8MP, 5MP, 4MP, 3MP, 1080P, 720P, WD1 on all channels and up to 8MP IP
- 8 x Audio In and 1 x Audio Out
- 2 x Internal hard Drive Slots up to 20TB
- P2P, DDNS or Static IP Remote Access
- Supercam Plus Phone App
- USB or Remote Backup
- Dimensions: 380(W) x 52(H) x 268(D)mm

SEAGATE SURVEILLANCE HARD DRIVES

FREE RESCUE PACKAGE INCLUDED

1TB, 2TB, 3TB, 4TB, 6TB, 8TB & 10TB
AVAILABLE



2732-4K-HP 32 Channel



2732-5MP-HC 32 Channel



2 X LAN
PORTS!

- 32 x 8MP 4K/5MP/2MP/Analogue Camera BNC Inputs
- Supports TVI/AHD/CVI/Analogue
- H.264/H.265/H.265+ Compression
- Add an Extra 8 x IP Cameras up to 8MP
- 8 Ch Analogue Inputs can be Switched to IP Video
- Input to allow a Maximum of 16 x IP Cameras
- Maximum of 40 Channels
- 8 Hard Drive Slots up to 80TB
- 1 x 4K, 1 x HDMI, 1 x VGA & 1 x BNC Video Output
- 2 x LAN Ports
- 16 x Alarm Inputs & 8 x Alarm Outputs
- Full Immix Integration
- P2P, DDNS or Static IP Remote Access
- Supercam Plus Phone App
- USB or Remote Backup
- Dimensions: 445(W) x 436(D) x 90(H)

- 32 x 5MP TVI/AHD/CVI/Analogue Camera BNC Inputs
- Supports TVI/AHD/CVI/Analogue
- H.264/H.265/H.265+ Compression
- Add an Extra 8 x IP Cameras up to 5MP
- 16 Ch Analogue Inputs can be Switched to IP Video
- Input to allow a Maximum of 24 x IP Cameras
- Maximum of 40 Channels
- 1 x 4K/HDMI, 1 X VGA & 1 x BNC Video Output
- 4 Hard Drive Slots up to 40TB
- 16 x Alarm Inputs & 4 x Alarm Outputs
- Full Immix Integration
- P2P, DDNS or Static IP Remote Access
- Supercam Plus Phone App
- USB or Remote Backup
- Dimensions: 440(W) x 390(D) x 70(H)

NVR/DVR Cabinets

VSC100



- Small Lockable Cabinet
- Handy Bolt Holes for Wall Mounting
- Tough steel with Attractive Finish
- Multiple Entries for In/Out Cabling
- Internal Dimensions (H) 90 x (W) 329 x (D) 230mm
- External Dimensions (H) 95 x (W) 389 x (D) 328mm

VSC400



- Large Lockable Cabinet
- Handy Bolt Holes for Wall Mounting
- Tough steel with Attractive Finish
- Multiple Entries for In/Out Cabling
- Internal Dimensions :- (H) 145 x (W) 484 x (D) 497mm
- External Dimensions :- (H) 150 x (W) 564 x (D) 597mm

2MP HD 4 in 1 Cameras

7524AS4-DI Fixed Turret



SUPPORTS DUAL
ILLUMINATION

- 2.4MP 1080P
- 2.8mm Lens
- TVI/AHD/CVI/Analogue
- 2.8mm Lens
- Dual Illumination
- 20-30m IR & White Light Range
- Built-in Audio over Coax
- True Day/Night
- OSD Menu
- IP67 Weatherproof Metal Casing
- 12V DC
- Dimensions : 87mm x 108mm

7422 Varifocal Bullet



- 2.4MP 1080P
- 2.8 - 12mm Lens
- TVI/AHD/CVI/Analogue
- 30 - 50m IR Range
- Smart IR
- True Day/Night, DWDR, 2D & 3D DNR
- Defog, Motion Detect, Privacy Zones
- 12V DC
- Dimensions: 218mm x 81mm x 80mm

AH8000 Miniature Turret



- 2.4MP 1080P
- 3.6mm Wide Angle Lens
- TVI/AHD/CVI/Analogue
- 15m IR Coverage
- True Day/Night, WDR, 2D & 3D DNR
- Available in White
- 12V DC
- Dimensions: 60mm x 55mm

AH7523 Varifocal Vandal Dome



- 2.4MP 1080p
- 2.8 - 12mm Varifocal Lens
- Available in Grey
- TVI/AHD/CVI/Analogue
- Vandal Resistant
- Up to 30m IR Coverage
- Smart IR
- True Day / Night, WDR, 2D & 3D DNR
- Defog, Motion Detect, Privacy Zones
- 12V DC
- Dimensions: 150mm x 120mm

AH1000
Mini Bullet

- 2.4MP 1080P
- Finger Size
- 3.6mm Wide Angle Lens
- True Day Night
- WDR
- 2D & 3D DNR, Defog
- 12V DC
- Dimensions: 20mm x 90mm

AH2000
Chrome Dome

- 2.4MP 1080P
- 3.6mm Wide Angle Lens
- Flush or surface mount
- Smart Chrome Colour
- True Day / Night, WDR, 2D & 3D DNR
- 12V DC
- Dimensions: 63mm x 80mm(max)

AH3000 Mini
IR Bullet

- 2.4MP 1080P
- 3.6mm Wide Angle Lens
- 2 Hi Power IR LED's for 25m IR Coverage
- Smart IR
- True Day / Night, WDR, 2D & 3D DNR
- Defog, Motion Detect, Privacy Zones
- 12V DC
- Dimensions: 160mm x 55mm

HD-29LPR Long
Range Bullet

- 2.4MP 1080P
- Long Range 5-50mm Lens
- Large Bullet Style
- 8 High-Powered LEDs
- up to 70m IR Coverage
- True Day/Night, 2D & 3D Noise Reduction
- D-WDR
- Dimensions: 270mm x 110mm

Visit our Website at www.fvs-cctv.com and Join the FVS
CCTV [LinkedIn page](#) for all the Latest Offers, Exclusive
Discounts and Video Tutorials on FV-PRO Products

5MP HD 4 in 1 Cameras

AH7554AS2-DI 5MP Dual Illumination with Audio over Coax



SUPPORTS DUAL
ILLUMINATION

- 5 Megapixel
- TVI/AHD/CVI/Analogue
- 2.8mm Fixed lens
- Dual Illumination
- 20-30m IR & White Light Range
- Built-in Audio Over Coax
- True Day/Night
- OSD Menu
- IP67 Weatherproof Metal Casing
- 12V DC
- Dimensions: 87mm x 108mm

AH7555 Motorised Turret



- 5 Megapixel
- TVI/AHD/CVI/Analogue
- 2.8 - 12mm Motorised lens
- Available in Grey or White
- 30 - 50m IR Range
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 112mm x 100mm

SHD52 Varifocal Turret



- 5 Megapixel
- TVI/AHD/CVI/Analogue
- 2.8-12mm Varifocal Lens
- Available in White Only
- Up to 35m Night Vision
- Excellent Wide & Long Range IR Coverage
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 115mm x 80mm

Visit our Website at
www.fvs-cctv.com and
 Join the FVS CCTV
[LinkedIn](#) page for all the
 Latest Offers, Exclusive
 Discounts and Video
 Tutorials on FV-PRO
 Products

5MP HD 4 in 1 Cameras

HD23 Miniature Turret



- 5 Megapixel
- TVI/AHD/CVI/Analogue
- Miniature Eyeball
- 3.6mm Wide Angle Lens
- 15m IR Coverage
- Available in White
- Smart IR
- True Day / Night, WDR, 2D & 3D DNR
- Defog, Motion Detect, Privacy Zones
- 12V DC
- Dimensions: 60mm x 55mm

AH7453 Motorised Bullet



- 5 Megapixel
- TVI/AHD/CVI/Analogue
- 3.3 - 12mm Motorised Lens
- Available in Grey or White
- Up to 50m IR Coverage
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 109mm x 284mm

AH7553 Motorised Vandal Dome



- 5 Megapixel
- TVI/AHD/CVI/Analogue
- 3.3 - 12mm Motorised Lens
- Vandal Resistant
- Available in Grey or White
- Up to 30m IR Coverage
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 150mm x 114mm

Visit our Website at
www.fvs-cctv.com and
Join the FVS CCTV
[LinkedIn page](#) for all the
Latest Offers, Exclusive
Discounts and Video
Tutorials on FV-PRO
Products

4K 8MP HD 4 in 1 Cameras

7584 Fixed Turret



- 8 Megapixel 4K
- 2.8mm Lens
- AHD, TVI, CVI
- Available in Grey or White
- 20-30m IR Range
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 87mm × 108mm

7585 Motorised Turret



- 8 Megapixel 4K
- 2.8 - 12mm Motorised Lens
- AHD, TVI, CVI
- Available in Grey or White
- Up to 30m IR Coverage
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 109mm × 130mm

AH7483 Motorised Bullet



- 8 Megapixel 4K
- 2.8 - 12mm Motorised Lens
- AHD, TVI, CVI
- Available in White
- Up to 50m IR Coverage
- Smart IR
- True Day/Night
- WDR
- 12v DC
- Dimensions: 109mm × 284mm

Visit our Website at
www.fvs-cctv.com and
Join the FVS CCTV
[LinkedIn page](#) for all the
Latest Offers, Exclusive
Discounts and Video
Tutorials on FV-PRO
Products

COLOURVISION 24/7 4 in 1 HD CAMERAS

CV2000 2MP Fixed Turret



24/7
COLOUR

- 2 Megapixel
- 2.8mm Fixed Lens
- Full Time Colour 24/7
- Up to 30m White Light Distance
- TVI/AHD/CVI/Analogue
- True Day/Night
- OSD Menu
- IP67 Weatherproof Metal Casing
- 12V DC
- Dimensions: 128 x 108(H)mm

CV5000 5MP Fixed Turret



24/7
COLOUR

- 5 Megapixel
- 2.8mm Fixed Lens
- Full Time Colour 24/7
- Up to 30m White Light Distance
- TVI/AHD/CVI/Analogue
- True Day/Night
- OSD Menu
- IP67 Weatherproof Metal Casing
- 12V DC
- Dimensions: 128 x 108(H)mm

Visit our Website at www.fvs-cctv.com and Join the FVS CCTV [LinkedIn page](#) for all the Latest Offers, Exclusive Discounts and Video Tutorials on FV-PRO Products

Coax to IP Converter

All Bases and Brackets Available
in Grey or White



- IP over Coax Extender/Converter to 220m
- Transmit network data over standard coax cable
- Dimensions : 45mm x 19.5mm x 18.5mm

4K Pigtail/Plug Balun

All Bases and Brackets Available
in Grey or White



- 1 x Pigtail & 1 x Plug
- Pushpin Terminal
- Connection for CAT5/6 Compatible with 4K, 5MP, 2MP and Analogue

All Bases and Brackets Available in Grey or White**CD104-HD**

1 in 4 Out Video Distribution
Amplifier and TVI/AHD/CVI/CVBS

**TTP414HD**

1080P 4-way Balun
Run 4 x AHD/TVI/CVI cameras over one CAT5

**0104**

Base for Fixed Turret
and Mini Bullet Cameras

**0205**

Base for TD7585 Turret Camera

**0106**

Base for Motorised Turret
Cameras

**YZJ0203**

L-Shaped Wall Bracket for
Turret Cameras

**0103**

Base for Fixed Turret and
Mini Bullet Cameras

**YZJ0204**

L-Shaped Wall Bracket for
ColourVision and 7585

**0301**

Heavy Duty Base for Fixed
Turret & Mini Bullet
Cameras

**YZJ0406 & 0301**

Wall Mount for Fixed Turret Cameras

**0302**

Heavy Duty Base for
Motorised Turret Cameras

**YZJ0407 & 0302**

Wall Mount for Motorised Turret Cameras

**0204**

Base for the TD7523 & TD7553

**YZJ0802**

Ceiling Mount or Wall Mount
Extension Pole



MDC550
Internal Dome

- Sony 2.1 Megapixel
- 2.8 - 10mm Auto Iris Lens
- True Day/Night
- 0.003 Lux with 3D DNR
- Multiple AGC setting sfrom OSD
- 12v DC
- 2D &3D DNR
- Test Monitor Output
- Dimensions: 90mm x 120mm

WTC1000
Bullet Camera

- Sony 2.1 Megapixel
- 3 - 12mm Motorised lens
- Auto Iris
- True Day/Night
- 40m IR Illumination
- WDR
- 2D &3D DNR
- 0.1 Lux or 0 Lux IR LED's On
- Dual DC 12V/AC 24V
- Test monitor Output
- Dimensions: 166mm x 83mm

Accessories

HD-SDi REPEATER

- Up to double transmission distance
- Use multiple boosters as repeater for even longer distances
- Data signals may also be transmitted down line

DWM3

- Internal Wall Bracket for MDC550

Visit our Website at www.fvs-cctv.com and Join the FVS CCTV [LinkedIn page](#) for all the Latest Offers, Exclusive Discounts and Video Tutorials on FV-PRO Products

SHD52 Varifocal Turret



- 5MP, 2MP or Standard Analogue
- 2.8 - 12mm Varifocal Lens
- Available in White Only
- Up to 35m Night Vision
- Excellent Wide & Long Range IR Coverage
- Smart IR
- True Day/Night
- WDR
- 12v DC
- IP66 Rate
- Dimensions: 115mm x 80mm

CL2950 LPR Traffic Camera



- Traffic Mode – Car Number
- Plate Recognition Camera
- Sony Super HADII
- 600 TVL Colour/700 TVL Mono
- 0.003 Lux with 3H Enhancement
- Fog and Mist Penetration
- True Day/Night +2D & 3D DNR
- DC 12V/AC 24V
- Lens is accessory

VS12 Smoke Detector



- 600TVL High Resolution
- Wide 3.7mm Pinhole Lens
- Auto Electronic Shutter
- Auto BLC Auto AGC
- Composite Video Output
- 12V DC

TOC400 Monochrome Bullet



- Sony Exview HAD
- 4mm or 6mm Lens
- 0.003 Lux / 0 Lux with IR
- IP65
- 25M IR Range
- 12V DC
- Dimension: 63mm x 104mm

Uniview MW3222-V-NB 22" HDMI & VGA Monitor



- 22" Super High Contrast Backlit
- Eco LED Slim Panel
- HDMI or VGA
- Full HD 1920 x 1080 Pixel Resolution
- Audio
- VESA Mount 100 x 100
- 100-240V
- Dimensions (WxHxD):
508mm x 308mm x 40mm
- Dimensions Inc Stand:
508mm x 393mm x 200mm

LED281-4K 28" 4K Monitor



- 28" 4K LED Monitor
- Brightness 280 cd/m²
- Contrast Ratio 3000:1
- Resolution 3840 x 2160,
- Downward Compatibility
- Response Time 5ms HDMI
- 2.0 Input x2 DP1.2 Input x2
- 12V DC PSU Supplied VESA
- Mount 100 x 100
- Dimensions (WxHxD):
635mm x 367mm x 60mm
- Dimensions Inc. Stand:
635mm x 535mm x 190mm

FV-PRO LCD104PRO-1 10" HDMI, VGA & BNC Monitor



- 10" High Brightness, High Resolution
- 450cd/m Brightness and 500:1 Contrast
- Industrial Grade Metal Casing
- 3D Digital Noise Reduction
- Inputs: HDMI, VGA, BNC, AV
- Speaker
- VESA Mount 100 x 100
- 100-240V
- Dimensions (WxHxD):
235mm x 190mm x 35mm
- Dimensions Inc. Stand:
235mm x 220mm x 105mm

VESA Mounts

FLAT



PAN & TILT



DOUBLE ARM



CTM500-PRO Complete 4K IP, HD and HD-SDi Test Monitor



- 4K ONVIF IP Tester
- Supports FV-PRO, Hikvision, Dahua & Uniview
- 4K TVI, AHD & CVI Tester
- 7 Inch IPS Touch Screen
- 4K Video Display via Mainstream
- Chrome Browser
- HDMI Input & Output
- DC12V 2 amp & 48V POE Output
- UTP Cable Tester
- RJ45 Cable TDR Test
- Cable Quality Test
- Rapid ONVIF
- 1 x Audio Input
- 1 x Headphone Connection
- 8GB SD Card Slot
- Polymer lithium ion battery
- 4x zoom, to enlarge image
- DC Power cable/BNC cable/ RS485 cable/
Audio cable/ Safety cord, Multi-meter test
leads, TDR alligator clamp & Manual all
Included
- Dimensions: 240mm x 154mm x 46mm

CT350 Analogue Test Monitor



- 3.5" TFT-LCD
- 960(H) × 240(V) Resolution
- Brightness, Contrast & Saturation controls
- Full Function Digital Multimeter
- PAL/NTSC Multi-System Colour Bar
- Video Generator
- Video In/Out + Audio Input Test
- DC 12V 1A for Camera Testing
- Video Signal Strength Measurement
- Cable Tester including UTP and Ethernet
- PTZ Control with 20 Protocols
- 20 Protocols including PELCOD&P
- Operating Temperature -10C+50C
- Supplied with Lithium-Ion Polymer Battery 3.7V
DC 3,000MAH
- Up to 12 hours life after 4 hour charge
- DC 5V 2A Power supply/battery charger included

Antiference HDMIE50V2 50m 1080P CAT6 Extender with HDMI Loop & IR



- Extend HDMI over CAT6 up to 50m
- Only one CAT6 required.
- Power the transmitter end only.
- Loop through for an extra local monitor
- IR Sender and Receiver included

Antiference HDMIE70V3P 70M 4K CAT6 extender with HDMI loop & auto-scaling



- Extend 4K 60Hz over CAT6 up to 70m
- Extend HDMI over CAT6 up to 70m
- Only one CAT6 required
- Power the transmitter end only
- Loop through for an extra local monitor
- IR Sender and Receiver included

Antiference HDMIE70KVMV2



- Extend 4K 60Hz over CAT6 up to 70m
- Extend HDMI over CAT6 up to 70m
- KVM (Keyboard / Mouse) Control
- Only one CAT6 required
- Power the transmitter end only
- Loop through for an extra local monitor
- IR Sender and Receiver included

HDMI Leads

1m

5m



FV-PRO IP Mitter PRO Wireless Bridge - Pair



- Link Remote Buildings to Your Network Without Cables!
- 900mbps Up to 2km
- 5.8 GHz
- Wireless LAN Connectivity
- Easy Pair Setup
- Dual 12V & 48V POE

FV PRO IP Mitter Single IP Mitter Wireless Bridge




- Link Remote Buildings to Your Network Without Cables!
- 900mbps Up to 2km
- 5.8 GHz
- Wireless LAN Connectivity
- Easy Setup
- Dual 12V & 48V POE

Wall Bracket



Configuration Examples



DC5A/4 multi 5 Amp 4 Channel



- 5 Amp Desktop Power Supply
- 4 way DC Connector Cable
- IEC Lead

RG59/2 Core Shotgun



- 100m High Grade 75 Ohm Video Coax
- + 0.5mm DC Cable
- Available in Black or White
- Larger Drums Available on Request

DC12V/20A-9 20 Amp 9 Channel



- Boxed 12v 20 amp Power Supply
- Regulated 9 Output
- 2 Amp per Output

CAT5E External Grade




- 100m 4 pair UTP
- UV Protection Grade
- Available in Black or White

DC12/5A 5 AMP



- 12v 5 Amp
- Switch-Mode Regulated Power Supply

CAT6 Internal



- 100m 4 Pair UTP
- Internal Only
- Available in Grey

DC60-9D 5 Amp 9 Channel

5



- Boxed 12V 5 Amp Power Supply
- Regulated 9 Output
- Suitable for non-IR Cameras Only

Patch Leads

1m
2m
3m
5m



RJ45 CAT-5 Crimp Plugs



RJ45 EASY FIT CRIMP TOOL



Tub of 100 CAT-5 Crimp Plugs



RJ45 BOOT



RJ45 CAT-6 Crimp Plugs



RJ45 COUPLER



Tub of RJ45 CAT-6 Crimp Plugs



DC PLUG



RJ45 CAT-5 Easy Crimps



DC SOCKET



Tub of RJ45 CAT-5 Easy Crimp Plugs



BNC CRIMP PLUG



RJ45 CAT-6 Easy Crimps



BNC - PHONO ADAPTOR



Tub of RJ45 CAT-6 Easy Crimps



PHONO - BNC ADAPTOR



WARNING SIGNS

STICKER



- 100mm x 75mm
- Yellow and Black

A4



- A4 Size
- Video & Audio Warning
- Yellow and Black

LARGE



- Large 600mm(w) x 450mm(h)
- Red and White Warning Sign

HOUSING

TPH1000



- Semi Cable Managed Bracket
- Mains heater
- IP66 Weather Rating

MICROPHONES

MIC-002



- Mini Head CCTV Microphone
- Stalk Cable
- Noise Reduction

MIC-008



- Covert CCTV Microphone
- Hi Gain Plus Noise Reduction

Visit our Website at www.fvs-cctv.com and Join the FVS CCTV [LinkedIn page](#) for all the Latest Offers, Exclusive Discounts and Video Tutorials on FV-PRO Products

IP Special Offers

FV-PRO NVR3532H8-16P 32 CHANNEL, 16 POE



- 16 POE & 16 NON-POE
- 8MP 4K IP Inputs on all channels
- Easy Plug and Play
- H.265/H.264
- Monitor Outputs: 4K/HDMI & VGA
- 8 Internal Hard Drive up to 48TB
- 16 Channel Playback
- USB or Network Backup
- P2P, DDNS or Static IP Remote Access
- 20 users
- Multi Streaming
- PTZ Control
- Analytics
- Supercam Plus App
- Dimensions: 445 (W) x 436 (D) x 90 (H) mm

Stand-Alone IP Camera

BAY-W5 With Infrared Illumination



- Pro Grade 2MP IP Camera
- 25m Night Vision
- 3-9mm Varifocal Lens
- 0.03 LuxColour/0 Lux with IR
- WDR & DNR
- 25m IR Night Vision
- Smart IR
- UPnP and ONVIF
- 12/24v
- Dimensions: 180(L) x 84 (W)mm

FV-PRO 9524S4 Fixed Turret



- 2 Megapixel
- 2.8mm Lens
- Available in Grey
- Built-in Microphone
- 20 - 30m IR Range
- Built-in Micro SD Card slot up to 256GB
- True Day/Night
- WDR
- Smart IR
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 83mm x 95mm

FV-PRO TD9525S3 Varifocal Turret



- 2 Megapixel
- 2.8 - 12mm Varifocal Lens
- Built-in Microphone
- 30-50m IR Range
- Built-in Micro SD Card slot up to 256GB
- True Day/Night
- WDR
- Smart IR
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 100mm x 112mm

IP Special Offers

FV-PRO TD9433M2 Varifocal Bullet



STARVIS

- 3 Megapixel
- 2.8 - 12mm Varifocal Lens
- Starvis Low Light Sensor
- Up to 50m Night Vision Range
- Built-in Micro SD Card up to 128GB
- True Day/Night ICR
- Smart IR
- WDR
- POE or 12V DC
- Dimensions: 284mm x 109mm

FVS-TD9434M2 Varifocal Bullet



STARVIS

- 3 Megapixel
- 7 - 22mm Varifocal Lens
- Starvis Low Light Sensor
- 50m - 70m Night Vision Range
- Built-in Micro SD Card up to 128GB
- True Day/Night ICR
- Smart IR
- WDR
- POE or 12V DC
- Dimensions: 360mm x 109mm

FV-PRO TD9544E3B Fixed Turret



FACE
DETECTION

REAL-
TIME

- 4 Megapixel
- 2.8mm Lens
- Built-in Audio
- Real-Time
- Ultra Low Light
- 20-30m IR Range
- Intelligent Analytics
- Face Detection & Capture
- True Day/Night
- Smart IR
- WDR
- Built-in Micro SD Card Slot up to 256GB
- POE or 12V DC
- Dimensions: 95mm x 83mm

FV-PRO TD9545E3B Motorised Turret



FACE
DETECTION

REAL-
TIME

- 4 Megapixel
- 2.8 - 12mm Motorised Lens
- Built-in Audio
- Real-Time
- Ultra Low Light
- 30-50m IR Range
- Intelligent Analytics
- Face Detection & Capture
- True Day/Night
- Smart IR
- WDR
- Built-in Micro SD Card Slot up to 256GB
- POE or 12V DC
- Dimensions: 100mm x 112mm

IP Special Offers

CV4000 4MP Colourvision 24/7 Turret



24/7
COLOUR

- 4 Megapixel
- 2.8mm Lens
- Colourvision 24/7
- Available in Grey
- Up to 30m white light distance
- True Day/Night
- Built-in Micro SD Card up to 256GB
- POE or 12V DC
- Dimensions: 128 x 108mm

FV-PRO TD9551S2 Mini Vandal Dome



- 5 Megapixel
- 3.6mm Lens
- Available in Grey Only
- 20 - 30m IR Range
- D-WDR
- True Day/Night
- Smart Analytics
- POE or 12v DC
- Dimensions: 117mm x 90mm

FV-PRO TD9551S3A Mini Fixed Vandal Dome



- 6 Megapixel
- 2.8mm Lens
- IK10 Vandal Casing
- 20-30m IR Range
- True Day/Night
- Available in Grey
- WDR
- Built-in Micro SD Card Slot up to 256GB
- Intelligent Analytics
- POE OR 12V DC
- Dimensions: 119mm x 88mm

FV-PRO TD9553M2 Motorised Vandal Dome



STARVIS

- 5 Megapixel
- 3.6 - 10mm Varifocal Lens
- Starvis Low Light Image Sensor
- Varifocal
- 30m IR Range
- 5 Megapixel
- 3.6 - 10mm Varifocal Lens
- Starvis Low Light Image Sensor
- Varifocal
- 30m IR Range
- True Day/Night
- WDR
- Smart IR
- Built-in Micro SD Card up to 256GB
- POE or 12v DC
- Dimension: 161mm x 137mm

IP Special Offers

FV-PRO TD9565S3A Motorised Turret



- 6 Megapixel
- 2.8-12mm Motorised Lens
- 30-40m IR Range
- Available in Grey
- True Day/Night
- WDR
- Built-in Micro SD Card slot up to 256GB
- Intelligent Analytics
- POE or 12V DC
- Dimensions: 116mm x 100mm

FV-PRO TD9462S4 Mini Motorised Bullet



- 6 Megapixel
- 2.8 - 12mm Motorised Lens
- 30-40m IR range
- Available in Grey
- True Day/Night
- WDR
- Built-in Micro SD card slot up to 256GB
- Intelligent Analytics
- POE or DC12V
- Dimensions: 218mm x 81mm x 80mm

FV-PRO TD9584E2 Mini Turret



FACE
DETECTION

- 4K 8 Megapixel
- 3.6mm Lens in Grey
- Real-Time
- 20 - 30m IR Range
- Intelligent Analytics
- Face Detection and Capture
- TrueDay/Night
- D-WDR
- Built-in Micro SD card Slot up to 256GB
- POE or 12v DC
- Dimension: 116mm x 100mm

FV-PRO TD9482S2 Mini Bullet



- 4K 8 Megapixel
- 3.6mm Lens
- 20 - 30m IR Range
- Intelligent Analytics
- True Day/Night
- D-WDR
- POE or 12v DC
- Dimensions: 87mm x 219mm

FV-PRO 2128TM**Access Control Face Recognition & Temperature Measurement Terminal**

**Simple Plug and Play or
use with the
N308B1-8P Smart
Management POE NVR**

- 8 inch LCD screen
- Highly accurate face recognition using deep learning algorithm
- 2 Way Built-in Audio
- 2 Channel Alarm in and out
- Human voice Prompt
- Face liveness detection technology distinguishing real faces from non-real attacks
- Store up to 20,000 Faces
- Recognition Accuracy 99.7%
- Detection up to 2m away
- White Light & IR
- Recommended face recognition distance is from 0.5m to 1m
- Stand-alone or add to the NVR-N308B1-8P Smart Terminal
- Door Lock output, NO/NC(optional), delay setting supported
- IR body temperature measurement
- High-accuracy (+/- 0.3°C)
- 1 micro SD card slot, up to 128G
- Dimensions: 301.8x138.6x34.2

NVR-N308B1-8P**8 Ch POE 4K NVR/Smart Terminal**

**Use with the Access Control Terminal and/or
as a Standard IP NVR.**

- Real-time display of all abnormal data, including abnormal temperature
- Real-time display of face snapshots, body temperature and human body snapshots
- Real-time alarm for abnormal temperature
- Precise face recognition even with masks Real-time personnel information display, including name, area, temperature, mask on/ off, company, etc.
- Statistics of abnormal attendance
- Statistics of the people information, including staff, allow list, block list, VIP, stranger and staff counts
- Personnel records search, including the identity, detected time, temperature, location, etc.
- Statistics of people entering or exiting to facilitate people flow control
- Face greeting view and settings via Web Client
- Supports 8 CH 8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/D1/CIF IP video input
- Standard H.265 high profile compression format to get high-quality video at much lower bit rate
- Intuitive and user-friendly (GUI)
- Monitor Outputs : 4K/HDMI & VGA
- Up to 10TB HDD capacity
- Dimensions: 300mm x 45mm x 249mm

NOTES

HEAD OFFICE:
1 Locket Road
Harrow
Middlesex HA3 7LY
United Kingdom

Tel: (44) 020 8863 0666
Trade e-mail: tradesales@fvs-cctv.com

Website: www.fvs-cctv.com



Prices and Specifications are subject to change