


Awnings


GENERAL INFO	
Awnings - Fabrics	2
Awnings - User manual	2
Awnings - Fit Guide	3
Awnings - Installation - Operation - Specifications	4
Awnings - Accessories	6

AWNINGS	
Thule Omnistor 5200	8
Thule Omnistor 8000	12
Thule Omnistor 4900	16
Thule Omnistor 5102	18
Thule Omnistor 2000	19
Thule Omnistor 9200	20
 Thule Omnistor 6300	24
Thule Omnistor 1200	28

AWNING ADAPTERS	
Adapters - Fit Guide	30
Adapters for wall-mounted awnings	31
Adapters for roof-mounted awnings	41
Adapters for vans	48

Awnings - Fabrics

- The top quality PVC fabric used for Thule Omnistor awnings is printed on both sides and has a coating. This coating keeps the fabric colour fixed, watertight, washable and durable. It not only ensures a high degree of scratch-resistance but also increases the UV-resistance and heat-resistance properties. The fabric may be rolled up for a few days, even if it is wet
- Welded joints allow a perfect waterproof and longlasting awning
- The Thule Omnistor PVC fabric consists of several layers:
 - 1 - Top coat of the PVC protects against scratching and fading
 - 2 - Vinyl with painted pattern
 - 3 - High strength polyester scrim
 - 2 - Vinyl with painted pattern
 - 1 - Top coat of the PVC protects against scratching and fading
- Our fabric pattern is printed along both sides and over the entire surface (31 & 32)
- The fabric can be cleaned using the Thule PVC Cleaner
- Depending on the type of awning, you can choose different patterns for your awning fabric:
 - 31 - Mystic Grey
 - 32 - Sapphire Blue
 - 04 - Alaska Grey
 - 03 - Blue Sky
 - 22 - Uni Grey
 - (see catalogue B2C)




Awnings - User Manual

All user manuals are available on our website: www.thule.com

- > Go to the product page
- > Go to "Downloads"

Awnings - Fit Guide

	Motor-home	Caravan	Van	Minivan	Length	Projection	Cassette finishes	Motor
Wall-mounted Awnings								
Thule Omnistor 5200	•	•	•	•	1.92 m - 5.02 m	1.40 m - 2.50 m	Anodised White Anthra-cite	• 12 VDC*
Thule Omnistor 8000	•	•			4.00 m - 6.00 m	2.75 m	Anodised White Cream Anthra-cite	• 230 VAC
Thule Omnistor 4900	•	•	•	•	2.60 m - 4.50 m	2.00 m - 2.50 m	Anodised White Anthra-cite	
Thule Omnistor 5102 for VW T5/T6				•	2.60 m	2.00 m	Light Grey Anthra-cite	
Thule Omnistor 2000		•		•	1.90 m - 3.00 m	1.30 m - 2.15 m	White	
Roof-mounted Awnings								
Thule Omnistor 9200	•	•			4.00 m - 6.00 m	3.00 m	Anodised White Cream	• 230 VAC
 Thule Omnistor 6300	•	•	•		2.60 m - 5.00 m	2.00 m - 2.50 m	Anodised White Anthra-cite	• 12 VDC*
Rail-mounted Awnings								
Thule Omnistor 1200		•			2.30 m - 5.50 m	2.00 m - 2.50 m	White (bag)	

* Only for awning lengths from 3.00 m and more

Awnings - Overview

Installation - Operation - Specifications

WALL-MOUNTED

TO 5200	TO 8000	TO 4900	TO 5102	TO 2000
---------	---------	---------	---------	---------

INSTALLATION					
On a motorhome	•	•	•		
On a caravan	•	•	•		•
On a van	•		•		
On a minivan	•		•	•	•
Installation on the wall	•	•	•	•	•
Installation on the roof					
Installation in the caravan rail	•	•			
Flat adapter supplied as standard	•	•	•	• ***	

OPERATION					
Fast gear	•	•		•	
By hand with roller system					•
By hand					
Available with motor	• 12 VDC	• 230 VAC			
Spring arms	•	•	•	•	
Manual tension arms					•

SPECIFICATIONS					
Minimum box length	1.92 m	4.00 m	2.60 m	2.60 m	1.90 m
Maximum box length (without motor)*	5.02 m	6.00 m	4.50 m	2.60 m	3.00 m
Minimum projection	1.40 m	2.75 m	2.00 m	2.00 m	1.30 m
Maximum projection **	2.50 m	2.75 m	2.50 m	2.00 m	2.15 m
Minimum weight	14.2 kg	41.4 kg	17.5 kg	19.8 kg	11 kg
Maximum weight (without motor)	32.8 kg	55.4 kg	27.8 kg	19.8 kg	17.5 kg
Integrated tension arms	•	•			
Quick-Lock system	•	•		•	•

* The fabric is approximately 20 cm shorter than the box length

** The maximum projection is only possible in combination with longer lengths. Please consult the technical specifications for more information. Projection is measured from rear of awning box to the front of the lead rail

*** Special brackets for VW T5

Awnings - Overview

Installation - Operation - Specifications



ROOF-MOUNTED		CARAVAN RAIL
TO 9200	TO 6300	TO 1200

INSTALLATION			
On a motorhome	•	•	
On a caravan	•	•	•
On a van		•	
On a minivan			
Installation on the wall			
Installation on the roof	•	•	
Installation in the caravan rail			•
Flat adapter supplied as standard			

OPERATION			
Fast gear	•	•	
By hand with roller system			
By hand			•
Available with motor	• 230 VAC	• 12 VDC	
Spring arms	•	•	
Manual tension arms			•

SPECIFICATIONS			
Minimum box length	4.00 m	2.60 m	2.30 m
Maximum box length (without motor)*	6.00 m	5.00 m	5.50 m
Minimum projection	3.00 m	2.00 m	2.00 m
Maximum projection **	3.00 m	2.50 m	2.50 m
Minimum weight	42.4 kg	20.6 kg	9 kg
Maximum weight (without motor)	57.6 kg	35.6 kg	20 kg
Integrated tension arms	•	•	
Quick-Lock system	•	•	•

* The fabric is approximately 20 cm shorter than the box length

** The maximum projection is only possible in combination with longer lengths. Please consult the technical specifications for more information. Projection is measured from rear of awning box to the front of the lead rail

Awnings - Overview

Accessories

WALL-MOUNTED					
---------------------	--	--	--	--	--

5200	8000	4900	5102	2000
------	------	------	------	------

ADAPTERS					
Thule Roof Adapters					
Thule Wall Adapters	•	•	•	• included	•
SMART PANELS					
Thule Rain Blocker G2 Front	•	•	•	•*	•
Thule Rain Blocker G2 Side	•	•	•	•*	
Thule Sun Blocker G2 Front	•	•	•	•	•
Thule Sun Blocker G2 Side	•	•	•	•	
Thule View Blocker G2 Side	•		•		
Thule View Blocker Front	•	•	•	•	•
Thule Rain Blocker Side					•
Thule Windscreen	•	•	•	•	•
TENTS					
Thule Panorama	•	•			
Thule Residence G3	•	•	•	•	
Thule QuickFit	•	•	•		
WIND PROTECTION					
Thule Hold Down Kit	•	•	•	•	•
Thule Hold Down Side Strap Kit	•	•	•	•	
Thule Tension Rafter G2	•	•	•		
Thule 3 rd Support Leg (as of 3.75 m)	•	•			
SEALINGS					
Thule Sealing Rubber	•	•	•*		
Thule EPDM Sealing					
Thule Gutter	•	•	•	•	•
MOTORISATION					
Thule Motor Kit TO 8000/9200 (230 VAC)		•			
Thule Motor Kit TO 5200 (12V)	•				
Thule Motor Kit TO 6300 (12V)					
LIGHTING					
Thule LED Strip	•	•	•	•	•
Thule LED Strip Sideways					
Thule LED Mounting Rail TO 6200/9200					
Thule Tent LED Mounting Rail TO 5200	•				
Thule Tent LED Mounting Rail TO 6300					
MAINTENANCE					
Thule PVC Cleaner	•	•	•	•	•
Thule Repair Patch	•	•	•	•	•

* Specific model

Awnings - Overview

Accessories

ROOF-MOUNTED	CARAVAN RAIL
--------------	--------------

9200	6300	1200
------	------	------

ADAPTERS			
Thule Roof Adapters	•	•	
Thule Wall Adapters			
SMART PANELS			
Thule Rain Blocker G2 Front	•	•	•
Thule Rain Blocker G2 Side	•	•	•*
Thule Sun Blocker G2 Front	•	•	•
Thule Sun Blocker G2 Side	•	•	•*
Thule View Blocker G2 Side		•	
Thule View Blocker Front	•	•	•
Thule Rain Blocker Side			
Thule Windscreen	•	•	•
TENTS			
Thule Panorama	•	•	
Thule Residence G3	•	•	
Thule QuickFit	•	•	•
WIND PROTECTION			
Thule Hold Down Kit	•	•	•
Thule Hold Down Side Strap Kit	•	•	•
Thule Tension Rafter G2	•	•	•*
Thule 3 rd Support Leg (as of 3.75 m)	•	•	•
SEALINGS			
Thule Sealing Rubber			
Thule EPDM Sealing	•	•	
Thule Gutter	•	•	•
MOTORISATION			
Thule Motor Kit TO 8000/9200 (230 VAC)	•		
Thule Motor Kit TO 5200 (12V)			
Thule Motor Kit TO 6300 (12V)		•	
LIGHTING			
Thule LED Strip	•	•	
Thule LED Strip Sideways		•	
Thule LED Mounting Rail TO 6300/9200	•	•	
Thule Tent LED Mounting Rail TO 5200			
Thule Tent LED Mounting Rail TO 6300	•	•	
MAINTENANCE			
Thule PVC Cleaner	•	•	•
Thule Repair Patch	•	•	•

* Specific model for Thule Omnistor 1200


Thule Omnistor 5200



The new standard for RV awnings

INFO

- Installation Wall mounting
- Length 1.92 m - 5.02 m
- Projection 1.40 m - 2.50 m
- Cassette White
- Fabric
 - Anodised: not with fabric 22
 - Anthracite: 2.62 m - 5.02 m - only fabric 31 - Mystic Grey
 - 31 - Mystic Grey
 - 32 - Sapphire Blue
 - 03 - Blue Sky
 - 04 - Alaska Grey
 - 22 - Uni Grey
- Weight
 - 14.2 kg - 32.8 kg (without motor)
 - 23.6 kg - 33.8 kg (with motor)



FEATURES

- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately
- Perfect fabric tension: sturdy spring arms with patented integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance. Standard integrated for awning lengths from 4.02 m and more, optional for a 3.02 m or 3.52 m awning length
- Thule Quick Release support legs:
 - sturdy metal connection parts
 - easy unlocking and storing into the lead rail of the awning
 - can be removed vertically from the lead rail: no risk of damaging the vehicle wall
 - inner arm remains blocked during the set up
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights
- Optional Thule Tent LED Mounting Rail TO 5200:
 - covers the gap under the awning = wall adapters are no longer visible
 - possible to mount a Thule QuickFit awning tent thanks to the integrated rail
 - possible to hang up the Thule Organizers
 - possible to add a Thule LED Strip
- Thule look:
 - matches the contemporary RV design
 - better integrated on the vehicle side
- Optional 12V DC motor:
 - operate awning lengths from 3.00 m and more without any effort
 - control is made with a switch through one touch command
 - integrated manual override with hand crank in case of power failure
 - can be retrofit installed as an accessory on a manual Thule Omnistor 5200 from awning length 3.00 m (+ 1kg)
- Patented roller tube support for better fabric tension and reduced wrinkling of the fabric
- Easy roller tube adjustment: perfect closing of the cassette on the side opposite to the gear
- Improved masking and finish of the technical parts
- Integrated anti-rattling solutions
- Integrated fixation for an optional 3rd support leg to ensure a higher stability (from 3.75 m awning length)
- Increased reliability: built-in durable systems for long life performance
- Thule Adjustable Pitch system: the incline of the awning fabric can be set as you please to easily open the door of your vehicle without touching the awning fabric

ACCESSORIES

- Thule Wall Adapters
- Thule Motor Kit TO 5200
- Thule Tent LED Mounting Rail TO 5200
- Thule LED Strip
- Thule Tension Arm Set TO 5200
- Thule Tension Rafter G2
- Thule 3rd Support Leg
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule Sealing Rubber
- Thule Gutter
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Panorama
- Thule Residence G3
- Thule QuickFit

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 5200 - MANUAL					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU NO
1.92 m	1.40 m	14.2 kg	White	03 Blue Sky	301001
				04 Alaska Grey	301002
				22 Uni Grey	301005
				31 Mystic Grey	301003
				32 Sapphire Blue	301004
			Anodised	31 Mystic Grey	301103
2.32 m	1.80 m	17 kg	White	03 Blue Sky	301011
				04 Alaska Grey	301012
				22 Uni Grey	301015
				31 Mystic Grey	301013
				32 Sapphire Blue	301014
			Anodised	31 Mystic Grey	301113
2.62 m	2.00 m	19 kg	White	03 Blue Sky	301021
				04 Alaska Grey	301022
				22 Uni Grey	301025
				31 Mystic Grey	301023
				32 Sapphire Blue	301024
			Anodised	03 Blue Sky	301121
				04 Alaska Grey	301122
				31 Mystic Grey	301123
				32 Sapphire Blue	301124
			Anthracite	31 Mystic Grey	301203
3.02 m	2.50 m	22.6 kg	White	03 Blue Sky	301031
				04 Alaska Grey	301032
				22 Uni Grey	301035
				31 Mystic Grey	301033
				32 Sapphire Blue	301034
			Anodised	03 Blue Sky	301131
				04 Alaska Grey	301132
				31 Mystic Grey	301133
				32 Sapphire Blue	301134
			Anthracite	31 Mystic Grey	301213

THULE OMNISTOR 5200 - MANUAL					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
3.52 m	2.50 m	25.4 kg	White	03 Blue Sky	301041
				04 Alaska Grey	301042
				22 Uni Grey	301045
				31 Mystic Grey	301043
				32 Sapphire Blue	301044
			Anodised	03 Blue Sky	301141
				04 Alaska Grey	301142
				31 Mystic Grey	301143
				32 Sapphire Blue	301144
			Anthracite	31 Mystic Grey	301223
4.02 m	2.50 m	28 kg	White	03 Blue Sky	301051
				04 Alaska Grey	301052
				22 Uni Grey	301055
				31 Mystic Grey	301053
				32 Sapphire Blue	301054
			Anodised	03 Blue Sky	301151
				04 Alaska Grey	301152
				31 Mystic Grey	301153
				32 Sapphire Blue	301154
			Anthracite	31 Mystic Grey	301233
4.52 m	2.50 m	30.4 kg	White	03 Blue Sky	301061
				04 Alaska Grey	301062
				22 Uni Grey	301065
				31 Mystic Grey	301063
				32 Sapphire Blue	301064
			Anodised	03 Blue Sky	301161
				04 Alaska Grey	301162
				31 Mystic Grey	301163
				32 Sapphire Blue	301164
			Anthracite	31 Mystic Grey	301243
5.02 m	2.50 m	32.8 kg	White	03 Blue Sky	301071
				04 Alaska Grey	30172
				22 Uni Grey	301075
				31 Mystic Grey	301073
				32 Sapphire Blue	301074
			Anodised	03 Blue Sky	301171
				04 Alaska Grey	301172
				31 Mystic Grey	301173
				32 Sapphire Blue	301174
			Anthracite	31 Mystic Grey	301264

New

THULE OMNISTOR 5200 - MOTORISED					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
3.05 m	2.50 m	23.6 kg	White	31 Mystic Grey	301080
			Anodised		301180
			Anthracite		301190
3.55 m	2.50 m	26.4 kg	White	31 Mystic Grey	301081
			Anodised		301181
			Anthracite		301191
4.05 m	2.50 m	29 kg	White	31 Mystic Grey	301082
			Anodised		301182
			Anthracite		301192
4.55 m	2.50 m	31.4 kg	White	31 Mystic Grey	301083
			Anodised		301183
			Anthracite		301193
5.05 m	2.50 m	33.8 kg	White	31 Mystic Grey	301084
			Anodised		301185
			Anthracite		301198





Thule Omnistor 8000

Largest wall awning on the market



INFO

- Installation Wall mounting
- Length 4.00 m - 6.00 m
- Projection 2.75 m
- Cassette White
Anodised
- Fabric  Cream: only with fabric 31 - Mystic Grey
Anthracite: only with fabric 31 - Mystic Grey
31 - Mystic Grey
32 - Sapphire Blue
03 - Blue Sky
04 - Alaska Grey
22 - Uni Grey
- Weight 41.4 kg - 55.4 kg (without motor)
43.4 kg - 57.4 kg (including motor)



FEATURES

- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately
- Perfect fabric tension: sturdy spring arms with integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance
- Spring arms:
 - reinforced with a double steel cable
 - the automatically deployed tension rafters absorb movement to ensure stability and wind-resistance
- Integrated channels for 12V cables for the installation of LED lights
- Front profile with integrated drainage system
- Optional 230 VAC motor with remote control:
 - operate the awning without any effort
 - digital settings ensure a perfect closing of the front profile
 - locking system: prevents the awning from opening while the vehicle is moving, works automatically when closing the awning
 - a safety device enables you to operate the awning manually in case of electricity failure
 - can be retrofit installed as an accessory on a manual Thule Omnistor 8000 awning (+ 2 kg)
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights

ACCESSORIES

- Thule Wall Adapters
- Thule Motor Kit TO 8000
- Thule LED Strip
- Thule Tension Rafter G2
- Thule 3rd Support Leg
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule Sealing Rubber
- Thule Gutter
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Panorama
- Thule Residence G3
- Thule QuickFit

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 8000 - MANUAL					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
4.00 m	2.75 m	41.4 kg	Anodised	03 Blue Sky	307786
				04 Alaska Grey	307787
				31 Mystic Grey	308683
				32 Sapphire Blue	308701
			White	03 Blue Sky	307712
				04 Alaska Grey	307713
				22 Uni Grey	307717
				31 Mystic Grey	308728
			Cream	32 Sapphire Blue	308698
				31 Mystic Grey	308979
4.50 m	2.75 m	44.6 kg	Anodised	03 Blue Sky	307790
				04 Alaska Grey	307791
				31 Mystic Grey	308708
				32 Sapphire Blue	308709
			White	03 Blue Sky	307719
				04 Alaska Grey	307720
				22 Uni Grey	307725
				31 Mystic Grey	308679
			Cream	32 Sapphire Blue	308703
				31 Mystic Grey	308912
5.00 m	2.75 m	48.2 kg	Anodised	03 Blue Sky	307794
				04 Alaska Grey	307795
				31 Mystic Grey	308710
				32 Sapphire Blue	308711
			White	03 Blue Sky	307727
				04 Alaska Grey	307728
				22 Uni Grey	307733
				31 Mystic Grey	308704
			Cream	32 Sapphire Blue	308705
				31 Mystic Grey	308971
Anthracite	31 Mystic Grey	301672			
5.50 m	2.75 m	51.8 kg	Anodised	03 Blue Sky	307798
				04 Alaska Grey	307799
				31 Mystic Grey	308712
				32 Sapphire Blue	308713
			White	03 Blue Sky	307735
				04 Alaska Grey	307736
				22 Uni Grey	307741
				31 Mystic Grey	308706
			Cream	32 Sapphire Blue	308707
				31 Mystic Grey	308972
Anthracite	31 Mystic Grey	301673			

THULE OMNISTOR 8000 - MANUAL					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
6.00 m	2.75 m	55.4 kg	Anodised	03 Blue Sky	307802
				04 Alaska Grey	307803
				31 Mystic Grey	308714
				32 Sapphire Blue	308715
			White	03 Blue Sky	307743
				04 Alaska Grey	307744
				22 Uni Grey	307749
				31 Mystic Grey	308729
			Cream	31 Mystic Grey	308978
				Anthracite	31 Mystic Grey

THULE OMNISTOR 8000 - MOTORISED					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
4.00 m	2.75 m	43.4 kg	Anodised	03 Blue Sky	307806
				04 Alaska Grey	307807
				31 Mystic Grey	308796
				32 Sapphire Blue	308841
			White	03 Blue Sky	307751
				04 Alaska Grey	307752
				22 Uni Grey	307756
				31 Mystic Grey	308738
			Cream	32 Sapphire Blue	308818
				31 Mystic Grey	308973
4.50 m	2.75 m	46.6 kg	Anodised	03 Blue Sky	307810
				04 Alaska Grey	307811
				31 Mystic Grey	308801
				32 Sapphire Blue	308825
			White	03 Blue Sky	307758
				04 Alaska Grey	307759
				22 Uni Grey	307763
				31 Mystic Grey	308839
			Cream	32 Sapphire Blue	308914
				31 Mystic Grey	308974

THULE OMNISTOR 8000 - MOTORISED					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
5.00 m	2.75 m	50.2 kg	Anodised	03 Blue Sky	307814
				04 Alaska Grey	307815
				31 Mystic Grey	308803
				32 Sapphire Blue	308951
			White	03 Blue Sky	307765
				04 Alaska Grey	307766
				22 Uni Grey	307770
				31 Mystic Grey	308759
			Cream	31 Mystic Grey	308975
			Anthracite	31 Mystic Grey	301677
5.50 m	2.75 m	53.8 kg	Anodised	03 Blue Sky	307818
				04 Alaska Grey	307819
				31 Mystic Grey	308739
				32 Sapphire Blue	308820
			White	03 Blue Sky	307772
				04 Alaska Grey	307773
				22 Uni Grey	307777
				31 Mystic Grey	308758
			32 Sapphire Blue	308836	
			Cream	31 Mystic Grey	308976
Anthracite	31 Mystic Grey	301678			
6.00 m	2.75 m	57.4 kg	Anodised	03 Blue Sky	307822
				04 Alaska Grey	307823
				31 Mystic Grey	308747
				32 Sapphire Blue	308746
			White	03 Blue Sky	307779
				04 Alaska Grey	307780
				22 Uni Grey	307784
				31 Mystic Grey	308789
			32 Sapphire Blue	308837	
			Cream	31 Mystic Grey	308977
Anthracite	31 Mystic Grey	301679			


Thule Omnistor 4900

The lightweight awning



INFO

- Installation Wall mounting
- Length 2.60 m - 4.50 m
- Projection 2.50 m
- Cassette White
Anodised
- Fabric Anthracite: 2.60 m - 3.00 m: only with fabric 31
31 - Mystic Grey
32 - Sapphire Blue
- Weight 17.5 kg - 27.8 kg



FEATURES

- Flat adapter delivered as standard. Special adapters for wall mounting need to be ordered separately
- Patented roller tube support for better fabric tension and reduced wrinkling of the fabric
- Easy roller tube adjustment: perfect closing of the cassette on the side opposite to the gear
- The oval support legs are dropped vertically to reduce the risk of damaging the vehicle wall
- Suitable for a slim and round design
- Lightest of its category: 19.6 kg for 3.00 m by 2.50 m
- Awning lengths from 4.00 m and more have a tension rafter supplied as standard

ACCESSORIES

- Thule Wall Adapters
- Thule LED Strip
- Thule Tension Rafter G2
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule Sealing Rubber
- Thule Gutter
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Residence G3
- Thule QuickFit

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 4900					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
2.60 m	2.00 m	17.5 kg	Anodised	31 Mystic Grey	306554
				32 Sapphire Blue	306555
			Anthracite	31 Mystic Grey	309936
				White	31 Mystic Grey
				32 Sapphire Blue	306553
3.00 m	2.50 m	19.6 kg	Anodised	32 Sapphire Blue	309670
				31 Mystic Grey	309671
			Anthracite	31 Mystic Grey	309937
				White	31 Mystic Grey
				32 Sapphire Blue	309640
3.50 m	2.50 m	21.6 kg	Anodised	31 Mystic Grey	309673
				32 Sapphire Blue	309672
			White	31 Mystic Grey	309643
				32 Sapphire Blue	309642
4.00 m	2.50 m	25.6 kg	Anodised	31 Mystic Grey	309675
				32 Sapphire Blue	309674
			White	31 Mystic Grey	309645
				32 Sapphire Blue	309644
4.50 m	2.50 m	27.8 kg	Anodised	31 Mystic Grey	309677
				32 Sapphire Blue	309676
			White	31 Mystic Grey	309647
				32 Sapphire Blue	309646


Thule Omnistor 5102



Small awning conceived for Volkswagen T5/T6

INFO

- Installation Attached to the existing roof rail (vehicles original T-track)
- Length 2.60 m
- Projection 2.00 m
- Cassette Light Grey
Anthracite: matching the colour of bumper & door handles
- Fabric 31 - Mystic Grey
- Weight 19.8 kg



FEATURES

- Attached to the existing roof rail using the supplied adapters (only suitable for Volkswagen Multivan)
- RHD variant available for right hand driven vehicles
- Ideal form & size to allow public parking's entrance (height: max. 2.00 m)
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights
- Optional Thule Residence G3 tent to increase living space by 5 m²
- Awning with specific adapter for Volkswagen California is only to obtain via Volkswagen dealers

ACCESSORIES

- Thule Wall Adapters
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule Gutter
- Thule LED Strip
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Residence G3

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 5102					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
2.60 m	2.00 m	19.8 kg	Anthracite	31 Mystic Grey	309851
			Light grey		309852

Thule Omnistor 2000


Wall awning for small vehicles



Awnings

INFO

- Installation Into the existing rail or using the special adapters
- Length 1.90 m - 3.00 m
- Projection 1.30 m - 2.15 m
- Cassette White
- Fabric 04 - Alaska Grey
31 - Mystic Grey
- Weight 11 kg - 17.5 kg



FEATURES

- Operated manually and retracted automatically (roll-in system)
- Fitted with a manual lock system and a security lock: awning cannot be opened until the safety lock is released
- Ideal for caravans, smaller vehicles and passenger vehicles

ACCESSORIES

- Thule Wall Adapters
- Thule Hold Down Kit
- Thule Gutter
- Thule LED Strip
- Thule Sun Blocker G2 Front
- Thule Rain Blocker G2 Front
- Thule View Blocker Front
- Thule Rain Blocker Side
- Thule Windscreen

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 2000					
LENGTH	PROJECTION	WEIGHT	CASSETTE	FABRIC	SKU-NO
1.90 m	1.30 m	11 kg	White	04 Alaska Grey	307401
				31 Mystic Grey	301581
2.60 m	2.00 m	14.5 kg		04 Alaska Grey	307407
				31 Mystic Grey	301582
3.00 m	2.15 m	17.5 kg		04 Alaska Grey	307413
				31 Mystic Grey	301583


Thule Omnistor 9200



The perfect roof awning for extra large vehicles with a projection of 3 meters

INFO

- | | |
|----------------|--|
| • Installation | Roof mounting |
| • Length | 4.00 m - 6.00 m |
| • Projection | 3.00 m |
| • Cassette | White
Anodised |
| • Fabric | Cream: only with fabric 31 - Mystic Grey
31 - Mystic Grey
32 - Sapphire Blue
03 - Blue Sky
04 - Alaska Grey
22 - Uni Grey |
| • Weight | 42.4 kg - 57.6 kg (without motor)
45.4 kg - 60.6 kg (with motor) |



FEATURES

- Roof-mounted awning suitable for caravans and motorhomes (A-class)
- Compatible with existing adapter brackets (need to be ordered separately)
- Installation using the roof top adapter (adhesive) or by means of transverse profiles
- Drilling through the roof is not necessary
- Caravan rail remains free for other accessories: tent
- Largest projection on the market with a superior fabric tension
- Top of the range stability for longer lengths
- Patented roller tube support for better fabric tension and reduced wrinkling of the fabric
- Improved masking and finish of the technical parts
- Integrated anti-rattling solutions
- Increased reliability: built-in durable systems for long life performance
- Thule design: contemporary look, perfect integration on RV's
- Ready for accessories: e.g. Thule LED Mounting Rail - Thule Awning Fixation Kit TO 6300/200/9200
- Spring arms:
 - reinforced with a double steel cable
 - the automatically deployed tension rafters absorb movement to ensure stability and wind-resistance
- Optional 230 VAC motor with remote control:
 - operate the awning without any effort
 - digital settings ensure a perfect closing of the front profile
 - locking system: prevents the awning from opening while the vehicle is moving, works automatically when closing the awning
 - a safety device enables you to operate the awning manually in case of electricity failure
 - can be retrofit installed as an accessory on a manual Thule Omnistor 9200 awning (+ 2 kg)
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights

ACCESSORIES

- Thule Roof Adapters
- Thule Motor Kit TO 9200
- Thule LED Mounting Rail TO 6300/6200/9200
- Thule LED Strip
- Thule Tension Rafter G2
- Thule 3rd Support Leg
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule EPDM Sealing
- Thule Gutter
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Panorama
- Thule Residence G3
- Thule QuickFit
- Thule Awning Fixation Kit TO 6300/6200/9200

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 9200 - MANUAL					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
4.00 m	3.00 m	42.4 kg	Anodised	03 Blue Sky	309861
				04 Alaska Grey	309862
				31 Mystic Grey	306640
				32 Sapphire Blue	306641
			Cream	31 Mystic Grey	306660
			White	03 Blue Sky	306600
				04 Alaska Grey	306601
				22 Uni Grey	309856
				31 Mystic Grey	306602
				32 Sapphire Blue	306603
31 Mystic Grey	306660				
4.50 m	3.00 m	45.6 kg	Anodised	03 Blue Sky	309863
				04 Alaska Grey	309864
				31 Mystic Grey	306642
				32 Sapphire Blue	306643
			Cream	31 Mystic Grey	306662
			White	03 Blue Sky	306604
				04 Alaska Grey	306605
				22 Uni Grey	309857
				31 Mystic Grey	306606
				32 Sapphire Blue	306607
31 Mystic Grey	306660				
5.00 m	3.00 m	50.2 kg	Anodised	03 Blue Sky	309865
				04 Alaska Grey	309866
				31 Mystic Grey	306644
				32 Sapphire Blue	306645
			Cream	31 Mystic Grey	306664
			White	03 Blue Sky	306608
				04 Alaska Grey	306609
				22 Uni Grey	309858
				31 Mystic Grey	306610
				32 Sapphire Blue	306611
31 Mystic Grey	306660				

THULE OMNISTOR 9200 - MANUAL					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
5.50 m	3.00 m	53.6 kg	Anodised	03 Blue Sky	309867
				04 Alaska Grey	309868
				31 Mystic Grey	306646
				32 Sapphire Blue	306647
			Cream	31 Mystic Grey	306666
			White	03 Blue Sky	306612
				04 Alaska Grey	306613
				22 Uni Grey	309859
				31 Mystic Grey	306614
				32 Sapphire Blue	306615
6.00 m	3.00 m	57.6 kg	Anodised	03 Blue Sky	309869
				04 Alaska Grey	309870
				31 Mystic Grey	306648
				32 Sapphire Blue	306649
			Cream	31 Mystic Grey	306668
			White	03 Blue Sky	306616
				04 Alaska Grey	306617
				22 Uni Grey	309860
				31 Mystic Grey	306618
				32 Sapphire Blue	306619

THULE OMNISTOR 9200 - MOTORIZED					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
4.00 m	3.00 m	45.4 kg	Anodised	03 Blue Sky	309876
				04 Alaska Grey	309877
				31 Mystic Grey	306650
				32 Sapphire Blue	306651
			Cream	31 Mystic Grey	306670
			White	03 Blue Sky	306620
				04 Alaska Grey	306621
				22 Uni Grey	309871
				31 Mystic Grey	306622
				32 Sapphire Blue	306623
4.50 m	3.00 m	48.6 kg	Anodised	03 Blue Sky	309878
				04 Alaska Grey	309879
				31 Mystic Grey	306652
				32 Sapphire Blue	306653
			Cream	31 Mystic Grey	306672
			White	03 Blue Sky	306624
				04 Alaska Grey	306625
				22 Uni Grey	309872
				31 Mystic Grey	306626
				32 Sapphire Blue	306627

THULE OMNISTOR 9200 - MOTORISED					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
5.00 m	3.00 m	53.2 kg	Anodised	03 Blue Sky	309880
				04 Alaska Grey	309881
				31 Mystic Grey	306654
				32 Sapphire Blue	306655
			Cream	31 Mystic Grey	306674
			White	03 Blue Sky	306628
				04 Alaska Grey	306629
				22 Uni Grey	309873
				31 Mystic Grey	306630
				32 Sapphire Blue	306631
5.50 m	3.00 m	56.6 kg	Anodised	03 Blue Sky	309882
				04 Alaska Grey	309883
				31 Mystic Grey	306656
				32 Sapphire Blue	306657
			Cream	31 Mystic Grey	306676
			White	03 Blue Sky	306632
				04 Alaska Grey	306633
				22 Uni Grey	309874
				31 Mystic Grey	306634
				32 Sapphire Blue	306635
6.00 m	3.00 m	60.6 kg	Anodised	03 Blue Sky	309884
				04 Alaska Grey	309885
				31 Mystic Grey	306658
				32 Sapphire Blue	306659
			Cream	31 Mystic Grey	306678
			White	03 Blue Sky	306636
				04 Alaska Grey	306637
				22 Uni Grey	309875
				31 Mystic Grey	306638
				32 Sapphire Blue	306639




Thule Omnistor 6300



Universal roof awning in a contemporary design

INFO

- Installation Roof mounting
- Length 2.60 m - 5.00 m
- Projection 2.00 m - 2.50 m
- Cassette White
Anodised
Anthracite: only with fabric 31 - Mystic Grey
- Fabric 31 - Mystic Grey
32 - Sapphire Blue
- Weight 20.6 kg - 35.6 kg (without motor)
25.1 kg - 36.6 kg (with motor)



FEATURES

- Roof-mounted awning suitable for motorhomes, caravans and vans (mid-class)
- Compatible with existing adapter brackets and accessories (need to be ordered separately)
- Installation using the roof top adapter (adhesive) or by means of transverse profiles
- Drilling through the roof is not necessary due to the mechanical fixation in the adapters
- Caravan rail remains free for other accessories: tent
- Perfect fabric tension: sturdy spring arms with patented integrated tension arms ensure a perfectly tensioned awning fabric for increased wind resistance. Standard integrated for awning lengths from 3.75 m and more, optional for awning lengths 3.00 m, 3.25 m and 3.50 m
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights
- Thule look:
 - matches the contemporary RV design
 - better integrated on the vehicle roof
- Optional 12V DC motor:
 - operate awning lengths from 3.00 m and more without any effort
 - control is made with a switch through one touch command
 - integrated manual override with hand crank in case of power failure
 - can be retrofit installed as an accessory on a manual Thule Omnistor 6300 from awning length 3.00 m (+ 1 kg and + 3 cm in length)
- Patented roller tube support for better fabric tension and reduced wrinkling of the fabric
- Easy roller tube adjustment: perfect closing of the cassette on the side opposite to the gear
- Improved masking and finish of the technical parts
- Integrated anti-rattling solutions
- Integrated fixation for an optional 3rd support leg to ensure a higher stability (from 3.75 m awning length)
- Increased reliability: built-in durable systems for long life performance create a higher stability which allows awning lengths up to 5.00 m to suit larger vehicles
- Thule Adjustable Pitch system: the incline of the awning fabric can be set as you please to easily open the door of your vehicle without touching the awning fabric
- Ready for accessories: e.g. Thule LED Mounting Rail - Thule Awning Fixation Kit TO 6300/9200

ACCESSORIES

- Thule Roof Adapters
- Thule Motor Kit TO 6300
- Thule Tent LED Mounting Rail TO 6300
- Thule LED Mounting Rail TO 6300/9200
- Thule LED Strip
- Thule Tension Rafter G2
- Thule 3rd Support Leg
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule EPDM Sealing
- Thule Gutter
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule Panorama
- Thule Residence G3
- Thule QuickFit
- Thule Awning Fixation Kit TO 6300/9200

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 6300 - MANUAL					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
2.60 m	2.00 m	20.6 kg	White	31 Mystic Grey	302100
				32 Sapphire Blue	302101
			Anthracite	31 Mystic Grey	302300
3.00 m	2.50 m	24.1 kg	White	31 Mystic Grey	302120
				32 Sapphire Blue	302121
			Anthracite	31 Mystic Grey	302320
3.25 m	2.50 m	25.1 kg	White	31 Mystic Grey	302130
				32 Sapphire Blue	302131
			Anodised	31 Mystic Grey	302230
				32 Sapphire Blue	302231
			Anthracite	31 Mystic Grey	302330
3.50 m	2.50 m	26.8 kg	White	31 Mystic Grey	302140
				32 Sapphire Blue	302141
			Anodised	31 Mystic Grey	302240
				32 Sapphire Blue	302241
			Anthracite	31 Mystic Grey	302340
3.75 m	2.50 m	28.5 kg	White	31 Mystic Grey	302150
				32 Sapphire Blue	302151
			Anodised	31 Mystic Grey	302250
				32 Sapphire Blue	302251
			Anthracite	31 Mystic Grey	302350
4.00 m	2.50 m	30.5 kg	White	31 Mystic Grey	302160
				32 Sapphire Blue	302161
			Anodised	31 Mystic Grey	302260
				32 Sapphire Blue	302261
			Anthracite	31 Mystic Grey	302360
4.25 m	2.50 m	31.8 kg	White	31 Mystic Grey	302170
				32 Sapphire Blue	302171
			Anthracite	31 Mystic Grey	302370
4.50 m	2.50 m	33 kg	White	31 Mystic Grey	302180
				32 Sapphire Blue	302181
			Anodised	31 Mystic Grey	302280
				32 Sapphire Blue	302281
			Anthracite	31 Mystic Grey	302380
5.00 m	2.50 m	35.6 kg	White	31 Mystic Grey	302190
				32 Sapphire Blue	302191
			Anodised	31 Mystic Grey	302290
				32 Sapphire Blue	302291
			Anthracite	31 Mystic Grey	302390

THULE OMNISTOR 6300 - MOTORISED					
LENGTH	PROJECTION	NET WEIGHT	CASSETTE	FABRIC	SKU-NO
3.03 m	2.50 m	25.1 kg	White	31 Mystic Grey	302125
			Anthracite		302325
3.28 m	2.50 m	26.1 kg	White	31 Mystic Grey	302135
			Anodised		302235
			Anthracite		302335
3.53 m	2.50 m	27.8 kg	White	31 Mystic Grey	302145
			Anodised		302245
			Anthracite		302345
3.78 m	2.50 m	29.5 kg	White	31 Mystic Grey	302155
			Anodised		302255
			Anthracite		302355
4.03 m	2.50 m	31.5 kg	White	31 Mystic Grey	302165
			Anodised		302265
			Anthracite		302365
4.28 m	2.50 m	32.8 kg	White	31 Mystic Grey	302175
			Anthracite		302375
4.53 m	2.50m	34 kg	White	31 Mystic Grey	302185
			Anodised		302285
			Anthracite		302385
5.03 m	2.50 m	36.6 kg	White	31 Mystic Grey	302195
			Anodised		302295
			Anthracite		302395


Thule Omnistor 1200



Stability and large projection, all fitting in a small bag

INFO

- Installation Slides into the caravan rail
- Length 2.30 m - 5.50 m
- Projection 2.00 m - 2.50 m
- Bag White
- Fabric 31 - Mystic Grey
32 - Sapphire Blue
- Weight 9 kg - 20 kg



FEATURES

- Exceptional stability for a bag awning
- Largest projection for a bag awning
- Top finish of the bag and technical parts
- The awning is stored in a PVC-sleeve with a sewn rope which simply slides into the caravan rail. Open the sleeve and unroll the awning
- Sturdy roller tube (diam. 62 mm) with integrated support legs and tension arms
- The simultaneous swing-out of the support legs and tension arms enables an easy and fast set-up of the awning
- Exclusive tensioning system with pump-buckle technology for a perfect fabric tension
- Thule Quick-Lock: user-friendly system to help you set up and adjust the support legs to the right heights
- Clever integrated tension arm support kit spreads the load safely on the caravan wall
- A Thule QuickFit tent can easily be installed with the optional Thule Awning Fixation Kit TO 1200 (307063)
- Integrated fixation for an optional 3rd support leg to ensure a higher stability (from 3.50 m awning length)
- Awning lengths from 4.00 m and more have a tension rafter supplied as standard

ACCESSORIES

- Thule Awning Fixation Kit TO 1200
- Thule Tension Rafter G2 TO 1200
- Thule Hold Down Kit
- Thule Hold Down Side Strap Kit
- Thule 3rd Support Leg
- Thule Sun Blocker G2 Front
- Thule Sun Blocker G2 Side
- Thule Rain Blocker G2 Front
- Thule Rain Blocker G2 Side
- Thule View Blocker Front
- Thule Windscreen
- Thule QuickFit

MAINTENANCE

- Thule PVC Cleaner
- Thule Repair Patch

THULE OMNISTOR 1200					
LENGTH	PROJECTION	NET WEIGHT	BAG	FABRIC	SKU-NO
2.30 m	2.00 m	9 kg	White	31 Mystic Grey	307256
				32 Sapphire Blue	307255
2.60 m	2.20 m	10.4 kg	White	31 Mystic Grey	307258
				32 Sapphire Blue	307257
3.00 m	2.50 m	12 kg	White	31 Mystic Grey	307260
				32 Sapphire Blue	307259
3.25 m	2.50 m	12.6 kg	White	31 Mystic Grey	307262
				32 Sapphire Blue	307261
3.50 m	2.50 m	13.4 kg	White	31 Mystic Grey	307264
				32 Sapphire Blue	307263
3.75 m	2.50 m	14.2 kg	White	31 Mystic Grey	307266
				32 Sapphire Blue	307265
4.00 m	2.50 m	15 kg	White	31 Mystic Grey	307268
				32 Sapphire Blue	307267
4.25 m	2.50 m	15.8 kg	White	31 Mystic Grey	307270
				32 Sapphire Blue	307269
4.50 m	2.50 m	16.6 kg	White	31 Mystic Grey	307272
				32 Sapphire Blue	307271
5.00 m	2.50 m	18.4 kg	White	31 Mystic Grey	307363
				32 Sapphire Blue	307364
5.50 m	2.50 m	20 kg	White	31 Mystic Grey	307365
				32 Sapphire Blue	307366