

Spotlights & Track Systems

Retail Light Box	216	Aztek	231
Starscoop™ Linear	219	Aztek HiSpot	232
Starscoop™	220	Aztek CDM-T	233
Starscoop™ High Output	222	Sigma Spotlight	234
Starspot™ 600	226	Standard Spotlight	235
Starspot™ 1000	228	Single Circuit Track	236
Starspot™ 1500	229	Three Circuit Track	238
Starspot™ 3000	230		

Retail Light Box

High output retail spotlights

- Available in 15°, 24° and 36° beam angle options



RATING



CLASS 2



CRI: RA



WARRANTY*




BEAM OPTIONS



BLACK



WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC66011	Retail Light Box Single 15° beam	3000K	No	35W	3840	110
JC66012	Retail Light Box Single 24° beam	3000K	No	35W	3840	110
JC66013	Retail Light Box Single 36° beam	3000K	No	35W	3840	110
JC66014	Retail Light Box Single 15° beam	4000K	No	35W	4100	117
JC66015	Retail Light Box Single 24° beam	4000K	No	35W	4100	117
JC66016	Retail Light Box Single 36° beam	4000K	No	35W	4100	117
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.

Products available to order, contact JCC customer services on **01243 838999**.

*Extended warranty requires online registration. Terms and conditions apply.

Retail Light Box

High output retail spotlights

- Available in 15°, 24° and 36° beam angle options

✓ JC66021WH



✓ JC66021BLK



RATING



CLASS 2



CRI: RA



WARRANTY*




BEAM OPTIONS



BLACK



WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC66021	Retail Light Box Twin 15° beam	3000K	No	2x35W	2x3840	2x110
JC66022	Retail Light Box Twin 24° beam	3000K	No	2x35W	2x3840	2x110
JC66023	Retail Light Box Twin 36° beam	3000K	No	2x35W	2x3840	2x110
JC66024	Retail Light Box Twin 15° beam	4000K	No	2x35W	2x4100	2x117
JC66025	Retail Light Box Twin 24° beam	4000K	No	2x35W	2x4100	2x117
JC66026	Retail Light Box Twin 36° beam	4000K	No	2x35W	2x4100	2x117
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.

Products available to order, contact JCC customer services on **01243 838999**.

*Extended warranty requires online registration. Terms and conditions apply.

Retail Light Box

High output retail spotlights

- Available in 15°, 24° and 36° beam angle options



RATING



CLASS 2



CRI: RA



WARRANTY*




BEAM OPTIONS



BLACK



WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC66031	Retail Light Box Triple 15° beam	3000K	No	3x35W	3x3840	3x110
JC66032	Retail Light Box Triple 24° beam	3000K	No	3x35W	3x3840	3x110
JC66033	Retail Light Box Triple 36° beam	3000K	No	3x35W	3x3840	3x110
JC66034	Retail Light Box Triple 15° beam	4000K	No	3x35W	3x4100	3x117
JC66035	Retail Light Box Triple 24° beam	4000K	No	3x35W	3x4100	3x117
JC66036	Retail Light Box Triple 36° beam	4000K	No	3x35W	3x4100	3x117
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.


Products available to order, contact JCC customer services on **01243 838999**.

*Extended warranty requires online registration. Terms and conditions apply.

Starscoop™ Linear

High output retail scoop light

- 45° tiltable LED module
- Durable die-cast aluminium construction



RATING

CLASS 2

CRI: RA

WARRANTY*

BEAM

EM OPTIONS

WHITE

CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC47440WH	Starscoop Linear	4000K	No	40W	4050	101
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

Body: Aluminium. Lens: Glass.

*Extended warranty requires online registration. Terms and conditions apply.

Starscoop™ 20W

Commercial LED display light

- 350° rotatable and 35° tiltable

✓ JC47441WH



✓ JC47441BLK



RATING



CLASS 2



CRI: RA



WARRANTY*



BEAM




EM OPTIONS



BLACK



WHITE



Cut out: Ø120-130mm

CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC47441	Starscoop	4000K	No	20W	2020	101
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Glass.

*Extended warranty requires online registration. Terms and conditions apply.

Starscoop™ 35W

Commercial LED display light

- 350° rotatable and 35° tiltable

✓ JC47442WH



✓ JC47442BLK



RATING



CLASS 2



CRI: RA



WARRANTY*



BEAM




EM OPTIONS



BLACK



WHITE



Cut out: Ø165-170mm

CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC47442	Starscoop	4000K	No	35W	3400	97
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Glass.

*Extended warranty requires online registration. Terms and conditions apply.


Starscoop™ High Output

High performance 20W commercial LED display light

✓ JC47443WH



✓ JC47443BLK



Cut out: Ø120-130mm



RATING



CLASS 2



CRI: RA



WARRANTY*



BEAM OPTIONS



EM OPTIONS



BLACK



WHITE

CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC47443	Starscoop 24° beam	3000K	No	20W	2230	112
JC47444	Starscoop 45° beam	3000K	No	20W	2230	112
JC47445	Starscoop 60° beam	3000K	No	20W	2230	112
JC47446	Starscoop 24° beam	4000K	No	20W	2330	117
JC47447	Starscoop 45° beam	4000K	No	20W	2330	117
JC47448	Starscoop 60° beam	4000K	No	20W	2330	117
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Glass.

Products available to order, contact JCC customer services on **01243 838999**.

*Extended warranty requires online registration. Terms and conditions apply.

Starscoop™ High Output

High performance 35W commercial LED display light

✓ JC47449WH



✓ JC47449BLK



RATING



CLASS 2



CRI: RA



WARRANTY*



BEAM OPTIONS




EM OPTIONS



BLACK



WHITE



Cut out: Ø165-170mm

CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC47449	Starscoop 24° beam	3000K	No	35W	3780	108
JC47450	Starscoop 45° beam	3000K	No	35W	3780	108
JC47451	Starscoop 60° beam	3000K	No	35W	3780	108
JC47452	Starscoop 24° beam	4000K	No	35W	4000	114
JC47453	Starscoop 45° beam	4000K	No	35W	4000	114
JC47454	Starscoop 60° beam	4000K	No	35W	4000	114
JCEM001	JCC Emergency Remote Pack	-	-	-	-	-
JCEM001ST	JCC Emergency Remote Pack Self-Test	-	-	-	-	-

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Glass.

Products available to order, contact JCC customer services on **01243 838999**.

*Extended warranty requires online registration. Terms and conditions apply.





Starspot™ 600

High performance LED spotlights

- Triac dimmable as standard

▼ JC14222WH



▼ JC14222BLK



RATING



CLASS 1



CRI: RA



WARRANTY*



BEAM




DIM. OPTIONS



BLACK



WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC14222	Starspot 600	3000K	Yes	7W	580	83
JC14223	Starspot 600	4000K	Yes	7W	600	86

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.

*Extended warranty requires online registration. Terms and conditions apply.

Starspot™ 600 Track Kit

High performance LED spotlights

- Triac dimmable as standard

✓ JC14225WH



✓ JC14225BLK





RATING



CLASS 1



CRI: RA



WARRANTY*



BEAM




DIM. OPTIONS



BLACK



WHITE



1206mm
167mm

CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC14224	Starspot 600 Track Kit	3000K	Yes	3x7W	3x580	3x83
JC14225	Starspot 600 Track Kit	4000K	Yes	3x7W	3x600	3x86

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate. | Track kit includes: 3 x Starspot 600 spotlights, 1120mm track section and 86mm live end.

*Extended warranty requires online registration. Terms and conditions apply.

Starspot™ 1000

High performance LED spotlights

✓ JC14154WH



✓ JC14154BLK



RATING



CLASS 1



CRI: RA



WARRANTY*




BEAM



BLACK



WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC14154	Starspot 1000 40° beam angle	3000K	No	15W	900	60
JC14155	Starspot 1000 40° beam angle	4000K	No	15W	1000	67

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

*Extended warranty requires online registration. Terms and conditions apply.

Starspot™ 1500

High performance LED spotlights

✓ JC14157WH



✓ JC14157BLK



IP
20
RATING

CLASS 1


85
CRI: RA

5yr
WARRANTY*

40°
BEAM

BLK
BLACK

WH
WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC14157	Starspot 1500 40° beam angle	3000K	No	20W	1300	65
JC14156	Starspot 1500 40° beam angle	4000K	No	20W	1500	75

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

*Extended warranty requires online registration. Terms and conditions apply.

Starspot™ 3000

High performance LED spotlights

▽ JC14204BLK



▽ JC14204WH



RATING



CLASS 1



CRI: RA



WARRANTY*




BEAM OPTIONS



BLACK



WHITE



CODE	DESCRIPTION	COL TEMP.	DIM.	WATT	LUMENS	LPCW
JC14204	Starspot 3000 15° beam	3000K	No	34W	2800	82
JC14200	Starspot 3000 38° beam	3000K	No	34W	2800	82
JC14205	Starspot 3000 15° beam	4000K	No	34W	3000	88
JC14201	Starspot 3000 38° beam	4000K	No	34W	3000	88

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Lens:** Polycarbonate.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

*Extended warranty requires online registration. Terms and conditions apply.

Aztek

GU10 mains track spotlights

- 350° rotatable and 180° tiltable




RATING

CLASS 1

GUARANTEE

LAMP NOT SUPPLIED

WHITE



CODE	DESCRIPTION	LAMP
JC14102WH	Aztek Mains Track Spotlight	GU10 10W LED Max or 50W Halogen Max

Body: Aluminium. | Lamp not supplied.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

Aztek HiSpot

GU10 mains track spotlights

- 350° rotatable and 180° tiltable

▼ JC14104



RATING



CLASS 1




GUARANTEE



LAMP NOT
SUPPLIED



WHITE



CODE	DESCRIPTION	LAMP
JC14104WH	Aztek Mains Track HiSpot	HiSpot ES111 75W Max

Body: Aluminium. | Lamp not supplied.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

Aztek CDM-T

Spotlights for G12 ceramic metal halide lamps

- 350° rotatable and 180° tiltable

✓ JC14112WH





RATING



CLASS 1




GUARANTEE



LAMP NOT SUPPLIED



WHITE



CODE	DESCRIPTION	LAMP
JC14112WH	Aztek CDM-T	CDM-T 35W

Body: Aluminium. | Lamp not supplied.
Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

Sigma Spotlight

GU10 track fitting

✓ JC14044BLK



✓ JC14044WH



RATING



CLASS 1



GUARANTEE




LAMP NOT
SUPPLIED



BLACK



WHITE



CODE	DESCRIPTION	LAMP
JC14044	Sigma Spotlight	GU10 10W LED Max or 50W Halogen Max

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Steel. | Lamp not supplied.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

Standard Spotlight

GU10 standard track fitting

∨ JC14032WH



∨ JC14032BLK



∨ JC14032SIL



RATING



CLASS 1



GUARANTEE



LAMP NOT
SUPPLIED




BLACK



SILVER



WHITE



CODE	DESCRIPTION	LAMP
JC14032	Standard Spotlight	GU10 10W LED Max or 50W Halogen Max

For Black add **BLK** suffix, for Silver add **SIL** suffix, for White add **WH** suffix.

Body: Steel. | Lamp not supplied.

Method of fix: For installing fittings on 3 circuit track, use JC88118 3 circuit track adapter (one per fitting).

Single Circuit Track

Single circuit track with range of accessories

- Compatible with all JCC Single Circuit spotlights
- Track can be cut to required length
- Supplied with end caps (3mm)
- 16 Amp max

∨ JC14001WH (510MM)



∨ JC14002BLK (1120MM)



RATING



CLASS 1




GUARANTEE



BLACK



WHITE



CODE	DESCRIPTION
JC14001	Single Circuit Track 510mm track section
JC14002	Single Circuit Track 1120mm track section
JC14003	Single Circuit Track 2340mm track section

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Steel. | Supplied with end caps (3mm).

Single Circuit Track Accessories

Accessories & connections for single circuit track



RATING

CLASS 1

GUARANTEE

BLACK

WHITE

CODE	DESCRIPTION
JC14004	Track connector with power
JC14005	Adjustable right angle (L) & straight connector with power feed
JC14006	T connector
JC14007	4 way connector
JC14008	Power feed for track centre
JC14009	Power feed at track end with conduit entry
JC14010	Flexible connector
JC14011	Adapter to suspend pendants from track (5amp max)
JC14012	Adapter to provide power from track to pendants etc (1m flex - 5amp max)
JC14013	Power feed at track end
JC14070	Surface adapter for mainline fittings
JC14093	Suspension kit for suspended ceilings (3m)
JC14094	Wire suspension kit (3m)

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. **Cover:** Polycarbonate.

Three Circuit Track

Three circuit flexible track system fittings

- Suitable for Mainline single circuit track fittings using JC88118 adaptor
- 20 Amp max



RATING



CLASS 1




GUARANTEE



BLACK



WHITE




CODE	DESCRIPTION
JC88103	3m track section

For Black add **BLK** suffix, for White add **WH** suffix.

Body: Aluminium. | Suitable for use with Three Circuit Track adapter JC88118.

Three Circuit Track Accessories

Three circuit flexible track system fittings




RATING


CLASS 1


GUARANTEE


BLACK


WHITE

CODE	DESCRIPTION
JC88104	Power feed - right
JC88105	Power feed - left
JC88106	Concealed track connector
JC88107	L connector - right sided earth
JC88108	L connector - left sided earth
JC88109	T connector - right sided earth
JC88110	T connector - left sided earth
JC88112	End cap
JC88113	Ceiling bracket connector*
JC88114	Track connector with power feed
JC88115	Wire suspension kit* 1.5m
JC88116	Crossover connector
JC88117	Flexible elbow connector
JC88118	Mainline single circuit to Three circuit track adapter

For Black add **BLK** suffix, for White add **WH** suffix. *Only available in White (**WH**) (one per fitting)

Body: Aluminium



^ Convert any single circuit spotlight into a three circuit option by ordering track adapter, JC88118 (one per fitting).