SAFETY DATA SHEET according to 1907/2006/EC, Article 31

Page 1/6

WHEELBRIGHT

Revision 1 Revision date 2015-06-25

ı	SECTION	1.	Identification	of the	substanc	e/mixture	and c	of the	company/undertaking
ı		u o					GILLIGI G		oon ipaniyran iaonaana

1	.1.	Product	ider	ntifier

Product name	CL11/16 WHEELBRIGHT					
REACH	ALL INGREDIENTS IN THIS FORMULATION HAVE BEEN REGISTERED (WHERE REQUIRED)					
	FOR APPLICABLE USES.					

1.3. Details of the supplier of the safety data sheet

Company	W R Day Ltd
Address	Unit 6

Manor Industrial Estate Comeytrowe

TAUNTON TA4 1EF

Web www.autoday.com Telephone +44 (0)1823 276506 +44 (0)1823 336336 Fax Email mailbox@autoday.com Email address of the mailbox@autoday.com competent person

1.4. Emergency telephone number

	Emergency	telephone	number
--	-----------	-----------	--------

Company

01823 276506 W R DAY LTD

Intended use

ALLOY CLEANER AND GENERAL CLEANING.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification -	
1999/45/EC	

Xi; R36

Symbols: Xi: Irritant.

Main hazards

Irritating to eyes.

2.1.2. Classification - EC

1272/2008

Skin Irrit. 2: H315; Eye Dam. 1: H318;

2.2. Label elements

Hazard pictograms



Signal Word **Hazard Statement** Danger

Skin Irrit. 2: H315 - Causes skin irritation.



Revision 1
Revision date 2015-06-25

2.2. Label elements

	Eye Dam. 1: H318 - Causes serious eye damage.					
Precautionary Statement:	P264 - Wash thoroughly after handling.					
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.					
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .					
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact					
	lenses, if present and easy to do. Continue rinsing.					
	P332+P313 - If skin irritation occurs: Get medical advice/attention.					
	P337+P313 - If eye irritation persists: Get medical advice/attention.					
Precautionary Statement:	P405 - Store locked up.					
Storage						
Precautionary Statement:	P501 - Dispose of contents/container to REQUIREMENTS OF LOCAL AUTHORITIES					
Disposal						

2.3. Other hazards

_		
(Other hazards	SPILLAGE MAY CREATE SLIP HAZARD.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. Cat. 3; R40 Xn; R22 Xi; R36	
LAURYL BETAINE		66455-29-6	266-368-1		1 - 10%	Xi; R38-41	
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		0 - 0.5%	Xn; R20/21/22 Xi; R36/38	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	1 - 10%	C; R34	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	C; R35	
Mono ethylene glycol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3		0 - 0.5%	Xn; R22	



Revision 1
Revision date 2015-06-25

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
WATER					70 - 80%		
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6		1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;	
LAURYL BETAINE		66455-29-6	266-368-1		1 - 10%	11002, Lyo iiii. 2. 11010,	
D-Glucopyranose, Oligomeric, Decyl, Octyl, Glycoside					0 - 0.5%	Eye Dam. 1: H318;	
1-Propanaminium, 3 Amino-N(carboxymethyl)N,N.Dimet hyl N Coco acyl dervis inner salts					0 - 0.5%	Skin Irrit. 2: H315;	
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		0 - 0.5%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin	
SODIUM METASILICATE PENTA HYDRATE		6834-92-0	229-912-9	01-2119449811-37 01-2119449811-37	1 - 10%	Irrit. 2: H315; Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335:	
COCAMIDOPROPYL BETAINE			931-296-8		0.5 - 1%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;	
ALCOHOL ETHOXYLATE		68439-46-3			0.5 - 1%	Acute Tox. 4: H302; Eye Dam. 1: H318;	
TETRA POTASSIUM PYROPHOSPHATE		7320-34-5	230-785-7	01-2119489369-18	0.5 - 1%	Eye Irrit. 2: H319;	
DYE					0 - 0.5%		
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;	
Mono ethylene glycol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3		0 - 0.5%	Acute Tox. 4: H302;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No irritation expected. No Significant Hazard.			
Eye contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.			
Skin contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.			
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.			

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Adopt best Manual Handling considerations when handling, carrying and dispensing.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up



Revision 1
Revision date 2015-06-25

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Ethylene glycol monobutyl ether (2-Butoxyethanol)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Mono ethylene glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Ethane-1,2-diol particulate)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Mono ethylene glycol	WEL 8-hr limit ppm: 20	WEL 8-hr limit mg/m3: 52
(Ethane-1,2-diol vapour)		
	WEL 15 min limit ppm: 40	WEL 15 min limit mg/m3: 104
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

No data is available on this product.

8.2. Exposure controls	
8.2.1. Appropriate engineering	Not normally required.
controls	
8.2.2. Individual protection	Not normally required.
measures	
Eye / face protection	In case of splashing, wear:. Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Handprotection	
Respiratory protection	Not normally required.



Revision Revision date 2015-06-25

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour

Red

Mild Odour

pH 10 - 12

Relative density 1.03 - 1.05

Solubility

Soluble in water

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

No data is available on this product. May cause irritation to eyes. May cause irritation to skin.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on this product.

12.2. Persistence and degradability

DETERGENTS IN THIS FORMULATION ARE >90% BIODEGRADABLE. Inorganic materials are inherently not boidegradable however those present in this formulation/product are either of no known significant environmetal hazard or are readilly neutralised to form inert salts. Readily biodegradable.

12.3. Bioaccumulative potential

No data is available on this product.

SECTION 13: Disposal considerations

General information

Dispose of in compliance with all local and national regulations.

SECTION 14: Transport information

14.1. UN number

The product is not classified as dangerous for carriage.

14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

14.4. Packing group

The product is not classified as dangerous for carriage.

14.5. Environmental hazards

The product is not classified as dangerous for carriage.

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



Revision 1
Revision date 2015-06-25

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

Further information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.2. Chemical safety assessment

No chemical Safety assessment has been carried out by the supplier.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 1 REACH.
- 2 2.1. Classification of the substance or mixture.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Signal Word.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Storage.
- 2 Precautionary Statement: Disposal.
- 8 DNEL: Derived no-effect level.
- 12 12.1. Toxicity.
- 15 Labelling.
- 15 Risk phrases.
- 15 15.2. Chemical safety assessment.

Text of risk phrases in Section

3

R20/21/22 - Harmful by inhalation, in contact with skin and if swallowed.

- R22 Harmful if swallowed.
- R34 Causes burns.
- R35 Causes severe burns.
- R36/38 Irritating to eyes and skin.
- R36 Irritating to eyes.
- R38 Irritating to skin.
- R40 Limited evidence of a carcinogenic effect.
- R41 Risk of serious damage to eyes.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Carc. 2: H351 - Suspected of causing cancer.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Acute Tox. 4: H312 - Harmful in contact with skin.

Acute Tox. 4: H332 - Harmful if inhaled.

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Aguatic Chronic 3: H412 - Harmful to aguatic life with long lasting effects.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

