

NEW FOR OLD SIMPLY SWAP

Dometic absorption and compressor fridges

 **DOMETIC**

NEW FOR OLD – SIMPLY SWAP

Would you like to replace your good old absorption refrigerator with a contemporary one of the Dometic 10 series or a NRX90V to enjoy more convenience, up-to-date technology and a real eye-catcher in your kitchen?

Our swap guide helps you to find out which absorption or compressor refrigerator model best suits your size requirements.

VENTILATION CLEARANCE

Please note that the unit dimensions given in the tables on the next pages refer to the size of the refrigerator only. The size and position of the ventilation openings may differ from those of your current fridge. For Dometic refrigerators, a clearance of 15 mm to 25 mm must be maintained to the vehicle wall in addition to the depth dimension of the unit.

HEIGHT COMPENSATION

If your new Dometic refrigerator is a bit smaller in height than its predecessor, you can easily compensate for the height difference by attaching feet to the unit. For Thetford models, a minimum distance of 12 mm to the floor must be maintained if no feet are attached to the appliance.



RMD 10.5P

RMS 10.5XP

Besides these general notes, it is always advisable to read the installation instructions of the desired appliance before replacing a refrigerator.

Campers and caravaners all over the world share the love for freedom and independence. Which is why most of them travel with ample stocks of food and drinks – well chilled of course for the best enjoyment. But what is the best way to keep travel provisions fresh and tasty? Dometic offers the widest choice of refrigerators for mobile use: silent absorption fridges and powerful compressor appliances with deep-freeze compartment, many decors and designs, sizes and price categories, simple solutions and premium models as well equipped as your fridge at home.

SWAP FOR A DOMETIC ABSORPTION MODEL

↔ DOMETIC

MODEL
RM 300 P/A / RM 301 / RM 4290L RM 4300 / RM 6291 / RM 7290L RM 7291L / RMS 850x

THETFORD

MODEL
N3090A / N3090E / N4090A N4100A / N4100E+ / N90 1P N90 2E / N3097A / N3097E N4097A / N4097E



Model	RMS 10.5P / 10.5 G
W x H x D (mm)	523 x 821 x 548
Technology	Absorption
Volume	83 L
SKU	9620023451/9620024797

↔ DOMETIC

MODEL
RM 855x / RMS 855x

THETFORD

MODEL
N3112A / N3112E / N4108A N4108E+ / N4112A / N112 1P N112 2E / N112 6E / N112 6A N3108E / N3108A / N97 1P N97 2E / N97 6E / N97 6A



Model	RMS 10.5XP
W x H x D (mm)	523 x 821 x 603
Technology	Absorption
Volume	98 L
SKU	9620023450

↔ DOMETIC

MODEL
RM 400R / RM 400 P/C / RM 415 RM 4400xxx / RM 4401LM / RM 4405LM RM 6401 / RM 7401 L / RM 7405L RM 850x / RM5405LM / RM6400L / RM7400L

THETFORD

MODEL
N100 1P / N100 2E / N100 6E N100 6A / N3100A / N3104A N3100E / N3104A / N3104E N4100E+ / N4100A / N4104E+ N4104A / N104 1P / N104 2E N104 6E / N104 6A



Model	RMS 10.5P
W x H x D (mm)	523 x 821 x 548
Technology	Absorption
Volume	83 L
SKU	9620023451

**ABSORPTION
ADVANTAGE**

**Noiseless Cooling With
Three Energy Sources**

Absorption refrigerators run in
silence, making them perfect for
combined sleeping and cooking
spaces. Plus, you can power
them with mains, battery, and
even LPG camping gas for
flexible, reliable, virtually
maintenance-free operation.



↔ DOMETIC

MODEL
RM 4501 L / RM 4505 L / RM 7501 L RM 7505 L / RM 7601 L / RM 7605 L RMD 8501 / RMD 8505 /

THETFORD

MODEL
N3145A / N3145E+ / N3150A N3150E / N4145E+ N4145A N4150E+ / N150 6E / N150 6A N145 6E / N145 6A



Model	RMD 10.5P / 10.5G
W x H x D (mm)	523 x 1245 x 550
Technology	Absorption
Volume	153 L
SKU	9620023873/9620018631

↔ DOMETIC

MODEL
RM 7801 L RM 7805 L / RM 7851 L+ / RM 7855 L RMD 8551 / RMD 8555 / RML 8550 RML 8551 / RML 8555

THETFORD

MODEL
N4175E+ / / N4170E+ / N4170A N4175A / N3170E / N3170A N3175A / N3175E / N175 6E N175 6A



Model	RMD 10.5XP
W x H x D (mm)	523 x 1245 x 605
Technology	Absorption
Volume	177 L
SKU	9620023874

↔ DOMETIC

MODEL
RM 200 / RM 2210 / RM 4200 RM 4210 / RM 4211 LM / RM5211LM RM 5310 / RM 270 / RM 2251 RM 4230L / RM 5330 RM 4270 / RM 6270 / RM7270L RMS 8400 / RMS 8401 RML 8230L

Width of 486mm obsolete, check out
Compressor options for this size on the
next page.

Model	
W x H x D (mm)	
Technology	
Volume	
SKU	

SWAP YOUR ABSORPTION FRIDGE TO COMPRESSOR

↗️ DOMETIC

MODEL

RM 4501 L / RM 4505 L / RM 7501 L
RM 7505 L / RM 7601 L / RM 7605 L
RMD 8501 / RMD 8505

THETFORD

MODEL

N3145A / N3145E+ / N3150A
N3150E / N4145E+ / N4145A
N4150E+ / N150 6E / N150 6A
N145 6E / N145 6A / T2160

↗️ DOMETIC

MODEL

RM 7801 L / RM 7805 L / RM 7851 L+
RM 7855 L / RMD 8551 / RMD 8555
RML 8550 / RML 8551 / RML 8555

THETFORD

MODEL

N4145E / N4145A / N4150E+
N4175E+ / N4150A / N4170E+
N4170A / N4175A / T2175

Model

RCD 10.EP

W x H x D
(mm)

523 x 1282 x 550*

Technology

Compressor

Volume

153 L

SKU

9630000154

Model

RCD 10.5 XEP

W x H x D
(mm)

523 x 1282 x 605*

Technology

Compressor

Volume

177 L

SKU

9630000128

↗️ DOMETIC

MODEL

– RML 8330 / RML 9330 / RML 9331
RML 9335 / RML 9430* / RML 9431*
RML 9435*

THETFORD

MODEL

T2120

↗️ DOMETIC

MODEL

–

THETFORD

MODEL

T1090 Floor level / T1090 Eye level
T2090 Floor level / T2090 Eye level

Model

RCL 10.4EP / EG

W x H x D
(mm)

420 x 1293 x 595

Technology

Compressor

Volume

151 L

SKU

9620023676/9620023679

Model

RC 10.4P 90

W x H x D
(mm)

420 x 975 x 485

Technology

Compressor

Volume

90 L

SKU

9620023673

↗️ DOMETIC

MODEL

RM 275 / RM 4281 LM / RM 4261
/ RM 5380 / RM 4280M / RM4285
/ RMS8400 RM 4361 / RM4365LM
/ RM 8400 / RM 2254 / RM 4360 L
/ RM 7360 L / RM 2253 / RM 4361 LM
/ RM 4365 LM RM 6361 L / RM 7361 L
/ RM 7365 L / RM 8401

THETFORD

MODEL

N3112A / N3112E / N4108A
N4108E+ / N4112A / N112 1P
N112 2E / N112 6E / N112 6A
N3108E / N3108A / N97 1P
N97 2E / N97 6E / N97 6A

Model

NRX 90V

W x H x D
(mm)

486 x 821 x 480

Technology

Compressor

Volume

92 L

SKU

9620006673

Model

RCS 10.5XP

W x H x D
(mm)

523 x 821 x 610

Technology

Compressor

Volume

98 L

SKU

9630000155

Model

RM 300 P/A / RM 301 / RM 400 P/C
RM 400R / RM 415 / RM 4290L / RM 4300
RM 4400 / RM 4401LM / RM 4405LM
RM 6291 / RM 6401 / RM 7290L
RM 7291L / RM 7401 L / RM 7405L
RMS 850x / RM 850x

THETFORD

MODEL

N3090A / N3090E / N4090A / N4100A-
N4100E+ / N90 1P / N90 2E / N3097A
N3097E / N4097A / N4097E / N100 1P
N100 2E / N100 6E / N100 6A / N3100A-
N3104A / N3100E / N3104A / N3104E
N4100E+ / N4100A / N4104E+
N4104A / N104 1P / N104 2E
N104 6E / N104 6A

Model

RCS10.5P

W x H x D
(mm)

532 x 821 x 555

Technology

Compressor

Volume

83 L

SKU

9630000163

COMPRESSOR
POWER

Cooling And Deep-
Freezing Up To -18 °C

Compressor refrigerators offer outstanding energy efficiency and cooling performance even when ambient temperatures head for the extremes. They provide reliable cooling and deep-freezing up to –18 °C, even when operating on an angle. Suitable power sources: 12 V DC grid or solar panel.

6 — DOMETIC.COM

*Due to the internal ventilation system, the RCD is 37 mm taller than the listed predecessor models.
If required the ventilation can be removed and replaced with ventilation slots in the furniture.

Contents, specifications and availability are subject to change in the interests of technical improvement.

7

THE FULL RANGE

View Products:
dometic.com

United Kingdom Dometic UK Ltd.

Dometic House, The Brewery,
Blandford St. Mary
Dorset DT11 9LS
Tel 0344 626 0133
Mail sales@dometic.co.uk

